VOL.
5
1959

SUBJECT, AUTHOR AND TITLE INDEX TO TETRAHEDRON, VOLUMES 5 TO 7, AND TETRAHEDRON LETTERS,* NUMBERS 1 TO 21, 1959

*Reference to *Tetrahedron Letters* is indicated by the letter L prefixing the issue number.

Acenes, u.v. spectra, comparison with 1:2-3:4-dibenzacenes and tetrabenzacenes, **6**, 355
Acetates, pyrolytic elimination, mechanism and products, **7**, 123
Acetolysis, ^{14}C rearrangement in 2-phenylethyl *p*-toluene sulphonate, **7**, 206
Acetone, conversion to propionic acid, **L13**, 1
Acetonylacetone, condensation with isatin, **6**, 97
Acetylation, enol, of steroid carbonyl groups, **6**, 282
Acids, carboxylic, characterization with 2-benziminazolylmethyl isothiouronium salts, **5**, 95
formation by oxidative rearrangement of ketones, **L13**, 1
saturated branched-chain, location of branch, **7**, 289
Aconitine, location of ring B methoxyl, correlation with delphinine, **L18**, 1
structure, **L2**, 15
Adrenaline, oxidative reaction with ethylenediamine, isolation and structure of fluorescent product, **7**, 70
Agarol, structure, stereochemistry and absolute configuration, **L9**, 13
Agarwood oil, new sesquiterpene alcohol from, **L9**, 13
β-Alanine, α-methyl, absolute configuration, **5**, 44
Albigenic acid, constitution, and partial synthesis, **7**, 19
Albizzia lebbeck, new triterpene acid from, **7**, 19
Alcohols, methylation with diazomethene, **6**, 36
reaction with titanium tetrachloride, **6**, 154
saturated, doublet character of O—H absorption, **L13**, 4
Aldehydes, chromic acid oxidation, mechanism, **L5**, 1
formation from nitriles with lithium triethoxyaluminohydride, **L3**, 9
Alkaloids, aconitine, **L2**, 15
Aspidosperma australe, *A. ulei* and *A. oliveaceum*, **L7**, 1
aspidospermine, molecular structure, **L11**, 1
structure, **L11**, 4
cevine, configuration, **7**, 47
cinchona, derivatives, synthesis, part XXXII, **7**, 228
dioscorine, **L1**, 5
eburnamonine, total synthesis, **L20**, 20
gelsemine, structure analsysis, **L4**, 1
structure and biogenesis, **L4**, 6
hemlock, configuration of ψ-conhydrine, **6**, 103
holarrhena, **7**, 104
julocrotine, structure, **L14**, 8
lunaria, **L9**, 18
minorin and vincamin, identity, **L18**, 11
new, from *Lochnera rosea*, **6**, 89
quinazoline, of *Xanthophylum rhetsa*, **7**, 257
Rutaceae, structure of fagarine II, **6**, 63
Alkyl groups, acceptors of negative charge, **5**, 198
Baker-Nathan order, discussion, **5**, 202
para, hyperconjugation effects, **5**, 210
inductive effects, reactivity of benzene derivatives, **5**, 210
substituents, role of solvent in Baker-Nathan effect, **5**, 194
Alkylbenzenes, HF—BF_3 complexes, hyperconjunction in, **5**, 186
L-**Allenoic acid**, α,α-dimethyl β-ethyl-, absolute configuration and comparison with L-n-bisdehydrodoisynolic acid, **7**, 90
Alloaromadenrene, stereochemistry, **L17**, 1
Allylic alcohols, derivatives, biosynthesis from mevalonate, **L19**, 19
Alnus glutinosa, lignan from, **L17**, 19
Aluminium chloride, action on pentybenzenes, **L6**, 1
diethyl-, interaction with titanium tetrachloride, **L12**, 18
trimethyl, reactions with titanium trichloride, **L17**, 7
reaction with titanium tetrachloride, **L20**, 12
Amines, secondary, carbylamine reaction, **L7**, 5
reaction with dichlorocarbene, **6**, 88
Amino anthroquinones, peracetic acid oxidation, **5**, 93
Aminosulphides, bis(N-substituted-N-trifluoromethyl), prep., **L17**, 16
Aminoxanthones, Balz-Schiemann reaction to monofluoroxanthones, **6**, 315
Ammonium compounds, phenyltrimethyl ammonium perhalogenates, reagent for selective halogenation, **L9**, 24
Amobarbital, polymorphic forms, **7**, 277
Δ⁴-Androstene-3β,17β-diol, 17α-ethinyl, synthesis, **5**, 15
Anhydrobi-isatic acid, formation, by isatic acid condensation, **6**, 304
N,N′-dimethyl-, resolution, **6**, 304
1,6-**Anhydro-β-D-galactopyranose**, synthesis from galactose, **6**, 139; **7**, 163
α-**Anhydrotrimethylbrazilone**, synthesis, **L2**, 11
Aniline, *p*-substituted derivatives, K-bands, effect of terminal groups with multiple bonds, **5**, 344
Annellation effects, asymmetric, part II, acenes, dibenz- and tetrabenz-acenes, **6**, 355
triphenylene and tetrabenzanthracene, **5**, 98
asymmetric and symmetric, part III, benzocoronenes, **6**, 358
Anthraquinone, series, part XXIII, **6**, 331
1,3,8-trihydroxy-2-hydroxymethyl-, synthesis and non-identity with versicolorin, **6**, 331
Anthrone, series, part XXIII, **6**, 331

Antibiotics, rutilantinone structure, **L16,** 17
Aprobarbital, polymorphic forms, **7,** 277
Aquilaria agallocha, new sesquiterpene alcohol from, **L9,** 13
Aromadendrene, chemistry, **L17,** 1
constitution, **L6,** 14
structure, **L3,** 15
position of cyclopentane ring, **L10,** 1
(+)-Aromadendrin, isolation from *Podocarpus spicatus*, **7,** 262
Aromatic compounds, electrophilic substitution, C—H hyperconjugation, **5,** 107
polycyclic, specificity of ozonization, **L9,** 5
synthesis of cyclo-octadecanonaene, **L3,** 3
π systems, ionization potentials, **5,** 150
nuclei, introduction of diazonium group, mechanism, **5,** 288
sextet, induced by 3 benzenoid rings, **6,** 355
Aromaticity, of 1,4,5-triazacyclohepta-2,6-diene and derivatives, **L9,** 10
Aromatization, 17β-hydroxy-17-ethynyl steroids, **L21,** 10
Ascorbic acid, conversion to 2,3,6-trimethyl ether, **6,** 36
Aspidosperma australe, *A. ulei* and *A. olivaceum* alkaloids, **L7,** 1
Aspidospermine, biogenesis, **L18,** 14
structure, **L11,** 1, 14
Atrovenetin, constitution, **6,** 48
Aureothin and isoaureothin, structural correlation, **L16,** 9
Azides, acyl, unusual Curtius rearrangement, **5,** 53
Azobenzene, 4-amino-, oxidation, **5,** 27
4-dimethylamino, oxidation, **5,** 27
Azocompounds, aromatic, researches, **5,** 27
Azo-group vibration, in formazans, **L11,** 16
Azothiobenzenes, assignment of azothio-group stretching vibrations, **L11,** 21

Baker-Nathan effect, differences between C—H and C—C hyperconjugation, **5,** 253
experimental and theoretical evaluation, **5,** 233
role of solvent in *p*-alkyl-nitrobenzenes and -acetophenones, **5,** 194
order, discussion, **5,** 202
Balz-Schiemann reaction, of aminoxanthones to monofluoroxanthones, **6,** 315
Bamford-Stevens reaction, mechanism and stereochemistry, **7,** 305
Barbital, polymorphic forms, **7,** 277
Barbituric acids, substituted, polymorphism, **7,** 277
Bathochromic effect, hydrogen bonding in substituted nitroparaffins, **6,** 6
Benzaldehyde, reaction with sugar derivatives, **L1,** 1
1:2-**Benzanthracene** and 3′-and 4-methyl derivatives, synthesis, **5,** 305
Benzcycloalkenes, u.v. absorption, effect of hyperconjugation, **5,** 179
Benzenes, 1,2-dialkyl, effect of cyclization on absorption spectra, **5,** 180
monosubstituted, K-bands, effect of terminal groups with multiple bonds, **5,** 341
Benzenoid compounds, mono, mechanism of reduction by metal-ammonia solutions, **6,** 148
ring, electron transfer, **6,** 355
Benzhydryl chloride, solvolysis rates, effect of hyperconjugation, **5,** 179
Benzidine rearrangement, mechanism, **L5,** 22
Benzilidenenucleosides, diastereoisomeric, **L21,** 18
Benznorcaradiene carbonyl azide, unusual Curtius rearrangement, **5,** 53
6:7-**Benzo-3-azabicyclo**[3.2.2]**nona-6,8-diene -4-one,** 2-benzyloxy-, from Curtius rearrangement of an acyl azide, **5,** 53
2:3-**Benzobiphenylene** and 1,4-dibromo-derivative, formation, **L20,** 7
1:2-**Benzocoronene,** synthesis, **6,** 358
Benzocoronenes, annellation effects, **6,** 358
Benzocyclobutene derivatives, prep., **L20,** 7
1:4-**Benzoquinone,** tetra-amino-, prep. from fluoranil and chloranil, **L13,** 24
Benzotrichloride, 2,3,4,5-tetrachloro-, reaction with potassium iodide, **6,** 110
Benzotrichlorides, "positive halogen" reaction with KI, mechanism, **6,** 110
Benzyl alcohol, optically active deuterium compds., stereochemistry, **6,** 338
Benzylidene chloride, 2,3,4,5,6-pentachloro-, synthesis, **6,** 110
Benzylidene derivatives of carbohydrates, **L1,** 1
Biogenesis, aspidospermine, **L18,** 14
flavonoids, **6,** 170
gelsemine alkaloids, **L4,** 6
iridomyrmecin, **6,** 217
sesquiterpene, stereochemical implications, **7,** 82
Biological activity, of 3β-hydroxy steroidal hormones, **5,** 15
relation to structure, oestrogens, part XVII, **7,** 90
Biosynthesis studies part XXI, rosenonolactone and gibberellic acid, **7,** 241
Biphenylene, derivatives, prep., **L20,** 7
Bischler–Napieralski reaction, syntheses, isoquinoline derivatives related to papaverine, **7,** 118
ketonic isoquinolines, **6,** 16
pyridine derivatives, **7,** 185
pyrroline derivatives, **5,** 48
Blatta orientalis, isolation of periplanetin, **5,** 10
secretion of β-glucoside of protocatechuic acid, **7,** 252
Bonds, carbon, hybridization changes, effect on hyperconjugation, **5,** 166
C–D and C–H, electron release, **6,** 31
C–F, in fluorine compds., nucleophilic attack, **5,** 38
C–H, hyperconjugation, Baker–Nathan effect, **5,** 202
direct insertion of CH_2, mechanism, **6,** 24

VOL. 5 1959

Bonds, C—H, (*continued*)
electron transfer in atomic or radical attack, **5,** 101
covalent, from ionic intermediates during solvolysis, **7,** 206
delocalization in conjugated and hyperconjugated systems, **5,** 166
double, addition of tellurium compds., **L6,** 11
in steroids, selective reactions and modifications, **6,** 269
intramolecular hydrogen bonding, gas chromatographic evidence, **L6,** 14
formation, mechanism of Diels–Alder reaction, **5,** 70
formation of Si–Si linkage, **5,** 97
hydrogen. See under Hydrogen.
lengths and energies in conjugation and hyperconjugation, **6,** 68
lengths and hyperconjugation, **5,** 118
N–S, in organic molecules, i.r. study, **L11,** 21
O–H absorption, in saturated alcohols, **L13,** 4
OH and NH, experimental approaches to hyperconjugation, **5,** 107
10:9-Borazarophenanthrene, 10-methyl- and 10-hydroxy-, nitration and chlorination, **7,** 213
1:2-Boroxaronaphthalene, derivative, formation, **L14,** 21
Bromination, nuclear, phloroglucinol derivatives, **L19,** 1
Bromohydrins, abnormally oriented, addition of HOBr to cyclic olefins, **7,** 165
Butan-1,4-diol, 2,3-bis(4′-hydroxy-3′-methoxybenzyl)-, isolation from *Podocarpus spicatus,* **7,** 262
1-Butanol, optically active deuterium compds., stereochemistry, **6,** 338
Butea frondosa, gum, (+)leucocyanidin from, **6,** 21
But-3-enylamine, 4-phenyl, conversion to pyrrolines, **5,** 48
Butethal, polymorphic forms, **7,** 277
Butyric acid, γ-fluoro-, conversion to 2,2-diphenyltetrahydrofuran, **5,** 38

Camphoketene dimers, structures, **L20,** 1
Carbon, ^{13}C isotope, application in enzymic cyclization of squalene, **5,** 311
^{14}C rearrangement studies, part VIII, **7,** 206
primary, stereochemistry, part X, optically active deuterium compds., **6,** 338
Carbon chain, location of a branch, **7,** 289
Carbonium ion reactions, Baker–Nathan effect, **5,** 233
deuterium isotope effects, **5,** 243
Carbonyl compounds, infra-red spectra, solvent effect, **L3,** 19
groups, steroid, selective reactions and modifications, **6,** 281
Carcinogens, polycyclic, fluoro-derivatives, **L1,** 15
Carotol, constitution, **L14,** 24
Cassaic acid, structure, **L2,** 7
Castoramine, structure, **L12,** 1
Catalysts, cupric ion, in reactions of olefins with t-butyl perbenzoate, **L15,** 19
fluoboric acid, methylation of alcohols with diazomethane, **6,** 36
system for ethene polymerization, **L12,** 24
Catechins, stereochemistry, **6,** 184
Cevine, absolute configuration, **7,** 47
Chalcones, nuclear bromination, **L19,** 1
Chelation, hydrogen bonding between NO_2 and NH_2 or OH groups in nitroparaffin derivatives, **6,** 1
Chelerythrine, isolation from *Xanthophylum rhetsa,* **7,** 257
Chloranil, conversion to tetra-amino-1:4-benzoquinone, **L13,** 24
Chlorination, of estradiol 17β-acetate with isocyanuric chloride, **L14,** 17
of 10-methyl- and 10-hydroxy-10:9-borazarophenanthrene, **7,** 213
Chlorohydrins, abnormally oriented, addition of HOCl to cyclic olefins, **7,** 165
Cholesterol, biosynthesis, **5,** 311
^{13}C, degradation, **5,** 320
Chromatography, gas, evidence for intramolecular H-bonding with double bonds, **L6,** 14
ion-exchange, separation of uracil and thymine, **6,** 225
Chromic acid, oxidations of aldehydes, mechanism, **L5,** 1
Chromium, carbonyl complexes with organic N-compds., **L10,** 13
Cinchina alkaloids, derivatives, synthesis, part XXXII, **7,** 228
Cinchonine, synthesis from, of 3-epidihydrocorynantheane and dihydrocorynantheane, **7,** 228
Cinchoninic acid, acylated, synthesis, **6,** 97
Cincole, biosynthesis in *Eucalyptus,* **L3,** 1
Cinnabarin, methyl, transformation to 1,9-dimethoxycarbonyl-2-aminophenoxazin-3-one, **5,** 275
structure, **5,** 275
Citronellal, biosynthesis in *Eucalyptus,* **L3,** 1
D-**Citronellal,** natural, synthesis of D-iridodial and D-isoiridomyrmecin, **6,** 217
L-**Citronellal,** conversion to L-iridodial and L-isoiridomyrmecin, **6,** 217
Cnicus benedictus, bitter principle, structure contributions, **L10,** 5
Cnicin, structure contributions, **L10,** 5
Columbin, stereochemistry, **L15,** 1
Complexes, aromatic cation, hyperconjugation in, **5,** 186
carbonyl, of Cr and Mo with organic N-compds., **L10,** 13
Conessin, 12β-hydroxy-, structure of holarrhenin, **7,** 104
Configurations, stereochemical, optically active deuterium compds., **6,** 338
steric inhibition phenomena, *cis-* and *trans-*substituted stilbenes, **6,** 115
γ-**Conhydrine,** structure, **6,** 103

Conjugation and resonance, **5,** 176
bond lengths and energies, **6,** 68
re-evaluation, **5,** 166
relation to Baker–Nathan effect, **5,** 233
various aspects, survey, **5,** 253
Coriolus sanguineus, cinnabarin, isolation and structure, **5,** 275
Cortisone acetate, all chemical synthesis of 6α-fluoro derivative, **7,** 153
Corynantheane dihydro-, and 3-epidihydro-, synthesis from cinchonine, **7,** 228
Coumarin, 6,7-dimethoxy-8-hydroxy-, structure of fraxidin, **5,** 90
4-phenyl-5,7-dihydroxy-6-isovaleryl-8-isopentenyl-, natural occurrence, **L13,** 11
Coumarins, in *Mammea americana*, **L1,** 10
Cryptomerene, constitution, **L8,** 8
Cucurbitacin B, relation to fabacein, **L13,** 16
Cupressene, absolute configuration, **L8,** 13
configuration, **L8,** 17
constitution, **L8,** 8
DL-**Curcumone,** synthesis from, of DL-ar-turmerone, **7,** 236
Curtius reaction, unusual rearrangement of an acylazide, **5,** 53
Cyanide, ion, reaction with 3β-acetoxy-5,16-pregnadien-20-one, **7,** 130
Cyclization, carboxyfluorodiphenyl ethers to monofluoroxanthones, **6,** 315
double bond, sesquiterpene biogenesis, **7,** 82
effect on absorption spectra of 1,2-dialkylbenzenes, **5,** 180
enzymic, of squalene, rearrangement of methyl groups, **5,** 311
Cycloalkylmethanols, by addition of HOBr to cyclic olefins, **7,** 165
Cyclobutadiene, tetrahedral structure, **L18,** 20
Cyclohexadienone, acid stable, **L21,** 7
1:3-**Cyclohexadiones,** condensation with isatin, **6,** 97
Cyclohexanone, 2-fluoro-, conformation, **L14,** 13
Cyclohexene, reaction with t-butyl perbenzoate and cupric ion catalyst, **L15,** 19
Cyclohexenone, synthesis, **7,** 123
Cyclo-octadecanonaene, molecular orbital calculations, **L8,** 4
synthesis, **L3,** 3
Cypridina luciferin, structure, **L5,** 4

Damnacanthal, synthesis, **6,** 331
Damnacanthol, synthesis, **6,** 331
Daucol, constitution, **L14,** 24
L-n-*bis* **Dehydrodoisynolic acid,** absolute configuration and comparison with L-α,α-dimethyl β-ethyl allenoic acid, **7,** 90
Dehydrohyoscyamine, and related compds., *in vivo* epoxidation, **L7,** 19
Delphinine, location of ring A methoxyl, correlation with aconitine, **L18,** 1
structure, **L3,** 11
Deoxycorticosterone acetate, 6α- and 6β- fluoro-, synthesis, **7,** 138
direct methylation, **6,** 36
Deoxynorherqueinone, identical with atrovenetin, **6,** 48
Deoxypodocarpic acid, stereochemistry of isomers **L1,** 19
Deoxyuridine, 5-bromo-, synthesis of thymidine from, **6,** 225
Deuterium, substitution effects, in carbonium ion reactions, **5,** 243
in gas-phase equilibrium, **5,** 116
on dipole moment, **6,** 31
on hyperconjugation, **5,** 143
on pyrolysis of 1-methylcyclohexyl acetate, **7,** 123
vibrational frequency shifts, **5,** 352
Deuterium compounds, optical activity model, **L20,** 23
optically active, stereochemical configurations, **6,** 338
Diastereoisomerism, in benzylidenenucleosides, **L21,** 18
Diazomethane mechanism of reaction with C–H bond in aliphatic hydrocarbons, **6,** 24
methylation of alcohols, **6,** 36
Diazonium group, introduction into aromatic nuclei, mechanism, **5,** 288
1:2, 3:4-**Dibenzacenes,** u.v. spectra, comparison with acenes and tetrabenzacenes, **6,** 355
1:2, 5:6-**Dibenzcoronene,** synthesis, **6,** 358
Dibenzocyclobutadiene, See Biphenylene.
1:2, 4:5-**Dibenzopyrene,** condensation with maleic anhydride, **6,** 358
3:4, 9:10-**Dibenzopyrene,** synthesis, **5,** 305
Dibenzothiophene, reduction by metal-ammonia solution, **6,** 148
3:4, 7:8-**Dibenzotricyclo** [4, 2, 0, $0^{2,5}$] **Octadiene,** 1, 2, 5, 6-tetrabromo-, formation, **L20,** 7
1,4-**Dibenzoylbutane,** anodic reduction to *cis*-1, 2-diphenylcyclohexane-1,2-diol, **5,** 293
Dibenzoylmethanes, *o*-hydroxy-, oxidation with performic acid to flavonols, **L6,** 9
1,3-**Dibenzoylpropane,** anodic reduction to *cis*-1, 2-diphenylcyclopentane-1,2-diol, **5,** 293
Dibenzyl, α,α,2,3,4,5,α′,α′,2′,3′,4′,5′-dodecachloro-, synthesis, **6,** 110
Dichlorocarbene, reaction with secondary amines, **6,** 88
Dicyclopentadiene derivatives, thermal dissociation, **5,** 74
Dicyclopentadienyliron, See Ferrocene.
Diels-Alder reaction, mechanism, **5,** 70: **L4,** 16; **L5,** 19
Dienes, mechanism of Diels-Alder reaction, **5,** 70
Dienone-phenol rearrangement of quinols, part II, **6,** 345
Diferrocenylmethin perchlorate, pigments, **L21,** 1
Dihydrotestosterone acetate, 4α-methyl-, bromination, **7,** 37
Diketones, anodic reduction by unipositive Mg, **5,** 293
condensation with isatin, **6,** 97
β-**Diketones,** "trans-fixed" dimedone type, enol-enolate equilibrium, pH dependent, **7,** 1

β-Diketones transfixed dimedon type, keto-enol-equilibrium, effect of solvent, **7,** 1
Dimers, camphoketene, structures, **L20,** 1
1,2-Diols, cyclic, by anodic reduction of kiketones **5,** 293
Dioscorea tokoro, sapogenin, structure of kogogenin, **7,** 62
Dioscorine, structure, **L1,** 5
Diosphenols, formation, by rearrangement and group transfer of D-homoketols, **7,** 173
ring contraction to 17β-hydroxyisoetianic acids, and lactones, **7,** 173
1,3-Dioxan, monohydroxy derivatives, intramolecular hydrogen bonding, **7,** 10
Dioxanes, halogen substituted, molecular structures and conformations, **L10,** 16
Dipeptides, structure of hypoglycin B, **L3,** 7
Diphenyl ether, carboxyfluoro-, cyclization to monofluoroxanthones, **6,** 315
Diphenylmethane, 2,2′-hydrazo-, synthesis, **L18,** 5
Dipole moments, calculation in excited state, use of Z values, **5,** 281
effect of deuterium substitution, **6,** 31
in conjugated and hyperconjugated, systems, **6,** 68
of halogeno-substituted dioxanes, **L10,** 16
Diterpenes, columbin stereochemistry, **L15,** 1
Podocarpus dacrydioides constituents, **7,** 270
phyllocladene and related compds., absolute configuration, **L8,** 13
constitution, **L8,** 8
DPNH, model, non-enzymatic reduction of pyruvic acid, **L15,** 10

DL-**Eburnamonine,** total synthesis, **L20,** 20
Echinochromes, synthesis, **L19,** 9
Echinocystic acid, synthesis of albigenic acid from, **7,** 19
Echinulin, constitution, **L16,** 1
Electric moment, See Dipole moment.
π-Electron resonance, det^n. of dipole moments of conjugated and hyperconjugated molecules, **6,** 68
18π-Electron system, molecular orbital calculations for cyclo-octadecanonaene, **L8,** 4
Electrons, release, Baker-Nathan order, discussion, **5,** 202
from C–D and C–H bonds, **6,** 31
transfer, atomic or radical attack on C–H bonds, **5,** 101
by aromatic sextet, **6,** 355
transition energies, of alkyl -nitrobenzenes and -acetophenones, effect of solvent, **5,** 194
$\pi \rightarrow \pi$ transitions, of bicyclic α,β-unsaturated ketones, effect of a + charge, **5,** 281
Energy, bond, in conjugation and hyperconjugation, **6,** 68
polar contributions, **6,** 80
conjugation and resonance, butadiene, **5,** 173
molecular orbital calculations for cyclo-octadecanonaene, **L8,** 4
resonance, of 1,4,5-triazacyclohepta-2,6-diene and derivatives, **L9,** 10
Epoxidation, dehydrohyoscyamine and related compds., *in vivo*, **L7,** 19
selective, of steroid double bonds, **6,** 275
Epoxides, polymerization by metal halides, **5,** 96
5α,6α-**Epoxides,** cycloethylenedioxy derivatives, boron trifluoride-etherate fission, **7,** 138
Equilibrium, enol-enolate, of Meldrum's acid, effect of solvent and pH, **7,** 1
of "trans-fixed" β-diketones, pH dependent, **7,** 1
gas-phase, secondary hydrogen isotope effect, **5,** 116
keto-enol, of "transfixed" β-diketones, solvent dependent, **7,** 1
Erythrolaccin, constitution, **L6,** 22
Ester group, *cis-* and *trans-*configurations, **6,** 253
Esters, *cis-* and *trans-* open chain, by hydrolysis of homologous aliphatic ω-lactones, **6,** 253
Estradiol, see Oestradiol.
Ethanol, 1,2,2,-triphenyl-, from fluoroacetyl chloride, **5,** 38
Ethanols, β-aryl, hydrogen bonding in, **L14,** 1
Ethene, polymerization, **L12,** 18
novel catalyst system, **L12,** 24
Ethers, cyclic, by self condensation of 4,6-dimethylol-*m*-xylene, **L18,** 5
Ethylene positive ion, partially twisted in ground state, evidence, **5,** 253
Ethylenediamine, oxidation of adrenaline and noradrenaline, isolation and structure of fluorescent product, **7,** 70
Eucalyptus, biosynthesis of citronellal and cineole, **L3,** 1

Fabacein, relation to cucurbitacin B, **L13,** 16
Fagarine II, structure, **6,** 63
transformation to tetrahydro-pseudo berberine, **6,** 63
Fagaro coco, alkaloid, structure of fagarine II, **6,** 63
Farnesol, allylic hydroxyl displacement, sesquiterpene biogenesis, **7,** 82
Farnesyl ester, enzymic formation, squalene biosynthesis, **L19,** 24
Ferrocene, hydroxy, prep., **L17,** 13
series, molecular asymmetry, **L6,** 26
synthesis of methin- and polymethin- pigments, **L21,** 1
Ferruginol, Δ^9-dehydro- and 9-keto- derivatives, isolation from *Podocarpus dacrydioides*, **7,** 270
Finkelstein S_N2 substitution of t-butyl bromide, **L16,** 24
Flavan 4-oximino-, **L19,** 4
Flavans, 4-hydroxy-, prep., new method, **L19,** 4
Flavonoids, chemistry, recent developments, **6,** 169
naturally occurring, methylation and demethylation, **6,** 188
new compds., **6,** 195
ring isomeric change, **6,** 191

Flavanols, new synthesis, **L6,** 9
Fluoboric acid, catalysis of alcohol methylation, with diazomethane, **6,** 36
Fluorination, of alkyl or aryl isothiocyanates, **L17,** 16
Fluorine, det^n., in ω-fluorocarboxylic acids, **5,** 38
compounds, heterocyclic, preparation, **6,** 315
rupture of C–F link, **5,** 38
ω-Fluorocarboxylic acids, action of phenyl magnesium bromide, **5,** 38
C–F bond, rupture, **5,** 38
Formaldehyde, mechanism of glycolaldehyde formation, **L21,** 22
Formamides, N-disubstituted, prep., **L7,** 5
Formazans, C-alkyl- and C-halogen-, hydrogen bonding in, **L11,** 16
Formolysis, ^{14}C rearrangement studies in 2-phenylethyl *p*-toluene-sulphonate, **7,** 206
Fornose reaction, mechanism, **L21,** 22
Franck-Condon principle, effect of hyperconjugation on solvolysis rates and u.v. absorption of benzcycloalkenes, **5,** 179
Fraxidin, synthesis, **5,** 90
Furan tetracarboxylic acid, properties and structure in relation to u.v. and i.r. spectra, **7,** 299
Furanoxanthones, angular, synthesis, **5,** 1
prep. from 2-allyl-1-hydroxyxanthone, **7,** 31

Galactose, synthesis of 1,6-anhydro-β-D-galactopyranose, **6,** 139; **7,** 163
Gas phase equilibrium, secondary hydrogen isotope effect, **5,** 116
reactions of ions with molecules, **7,** 189
Gelsemine derivatives, NMR spectra, **L4,** 6
hydrohalides, X-ray analysis of structure, **L4,** 1
Genistein, isolation from *Podocarpus spicatus,* **6,** 145
Gibberella fujikuroi, biosynthesis of gibberellic acid, **7,** 241
Gibberellic acid, biosynthesis in *Gibberella fujikuroi,* **7,** 241
Globulol, constitution, **L6,** 14
stereochemistry, **L17,** 1
β-D-Glucose, 1-benzoyl-, periplanetin structure, natural occurrence, **5,** 10
β-Glucosides of protocatechuic acid, occurrence in *Blatta orientalis* and *Periplaneta orientalis,* **7,** 252
Glycals, reaction mechanism with perbenzoic acid, **7,** 10
Glycolaldehyde, mechanism of formation from formaldehyde, **L21,** 22
Glyoxylic acid, *o*-aminophenyl. See Isatic acid.
Grignard reagents, acetylenic, reaction with hydroximic chloride, polyiso-oxazole syntheses, **7,** 24
action on ω-fluorocarboxylic acids, **5,** 38
reactions with tetravinyl lead, **L6,** 1
triphenylsilyl, **5,** 97
Groups, $—CH_2X$, evaluation of hyperconjugation energy, **5,** 135
Groups, hydroxyl, selective reactions and modifications in steroids, **6,** 295
methyl, hyperconjugative effect, **5,** 149
location in iresin, **7,** 37
structural effects on hyperconjugation, **5,** 110
terminal, with multiple bonds, effect on K-bands of conjugated systems, **5,** 340
transfer, and ring contraction in D-homosteroids, **7,** 173

Halides, organic, "positive halogen" reaction with KI, **6,** 110
t-butyl, reactions with lithium bromide and chloride, **L16,** 24
Halogenation, selective by means of phenyltrimethylammonium perhalogenates, **L9,** 24
Hammett equations, correlation with solvolysis rates of substituted α-phenylethyl chlorides, **6,** 232
Heartwood constituents, new lignan from *Podocarpus spicatus,* **L4,** 14
Heat of hydrogenation, olefins, effect of alkyl substitution, **5,** 128
Herqueinone, derivatives, constitution, **6,** 48
Heteroaromatic compounds, part IV, 10:9-borazarophenanthrene, **7,** 213
Heterocyclic compounds, aromatic boron-oxygen, **L14,** 21
nitration and chlorination of 10-methyl 10:9-borazarophenanthrene, **7,** 213
oxygen, naturally occurring, **L1,** 10; **L13,** 11
1,2,3,7,8,9-**Hexahydroperylene,** 3,9-diketo-, oxidation to perylene-3,9-quinone, **5,** 99
3:3′,5′:5″,3‴:3⁗,5⁗:5ᴵⱽ,3ᴵⱽ:3ⱽ-**Hexaiso-oxa-zole,** synthesis, **7,** 24
Hexamethylbenzene, and its chloranil complex, i.r. spectra, **5,** 352
Holarrhenin, structure, **7,** 104
D-**Homoketols,** rearrangement and group transfer to diosphenols, **7,** 173
D-**Homosteroid series,** group transfer and ring contraction, **7,** 173
Hormones, steroidal, halogenated, synthesis, parts CXX and CXXI, **7,** 138, 153
3β-hydroxy analogues, synthesis, **5,** 15
Humulene, structure, **L7,** 12
Hybridization, effect on bond lengths and dipole moments in conjugation and hyperconjugation, **6,** 68
Hydratropic acid, formation, by oxidative rearrangement of phenylacetone, **L13,** 1
Hydrocarbons, aliphatic, reaction of C–H bond with diazomethane, **6,** 24
aromatic cation complexes, hyperconjugation in, **5,** 186
saturated branched-chain, location of branch, **7,** 289
Hydrocortisone, acetate, 6α,9α-difluoro-, synthesis, **7,** 153
6α. fluoro., new synthesis, **7,** 153
6α-fluoro-, dehydration, **7,** 153
Hydrocyanic acid, addition to 3β-acetoxy-5, 16-pregnadian-20-one, **7,** 130

Hydrofluoroboric acid, complexes with alkylbenzenes, hyperconjugation in, **5,** 186
Hydrogen, bond, electrostatic nature, **6,** 1
bonding, in β-aryl ethanols, **L14,** 1
in C-alkyl- and C-halogen-formazans, **L11,** 16
intramolecular, between OH groups and ring O in monohydroxy- tetrahydropyran, -tetrahydrofuran and -1,3-dioxan, **7,** 10
with double bonds, gas chromatographic evidence, **L6,** 14
isotopes. (*see also under* Deuterium.)
electron releasing ability, **6,** 34
α-Hydrogen bonding, role in Baker-Nathan effect, **3,** 239
Hydrogen ion concn., effect of, on enol-enolate equilibrium of "trans-fixed" β-diketones, **7,** 1
on u.v. band of enolate anion of cyclic malonic esters, **7,** 1
Hydroluciferin, structure, **L5,** 4
Hydroximic chloride, reaction with acetylenic grignard reagents, polyiso-oxazole syntheses, **7,** 24
Hydroxyl groups, steroid, selective reactions and modifications, **6,** 295
Hydroxylation, selective, of steroid double bonds, **6,** 277
Hyperconjugation, and bond lengths, **5,** 118
bond lengths and energies, **6,** 68
CH bonds, discussion of Baker-Nathan order, **5,** 202
effect of, on solvolysis rates of benzhydryl chloride, **5,** 179
on u.v. absorption spectra of benzcycloalkenes, **5,** 179
effects of changes in hybridization on C-bonds, **5,** 166
explanation of Baker-Nathan effect, **5,** 233
in aromatic cation complexes, **5,** 186
inductive effects on reactivity of *p*-alkyl substituted benzene derivatives, **5,** 210
isovalent, **5,** 253
NH and OH, experimental approaches, **5,** 107
secondary hydrogen isotope effects, **5,** 243
and aromatic hydrogen exchange, **L13,** 20
and vibrational frequency, **5,** 352
in gas-phase equilibrium, **5,** 116
simple molecular orbital treatment, **5,** 149
stereospecific, conformation of 2-fluorocyclohexanone, **L14,** 13
substituent effects, energy evaluation for $-CH_2X$ groups, **5,** 135
of *p*-alkyl groups, **5,** 210
thermochemical evidence, **5,** 127
various aspects, survey, **5,** 253
Hypoglycin B, constitution, **L3,** 7
Hypohalous acid, addition to methylenecycloalkanes, **7,** 165
Hypoxanthine, synthesis, **L12,** 9
Hypsochromic shift. See under Spectra.

Inductive effects, of *p*-alkyl groups, in reactivity of benzene derivatives, **5,** 210
relation to mesomeric effects in hyperconjugation, **5,** 270
Iodine pentafluoride, reactions with isothiocyanates, **L17,** 16
Iodide, potassium, "positive halogen" reaction with benzotrichlorides and perchlorotoluene, **6,** 110
Ion-molecule reactions in gas phase, **7,** 189
Ionization potentials, unsaturated molecules, application of simple molecular orbital theory. **5,** 149
Iresin, complete structure and absolute configuration, **7,** 37
D-**Iridodial,** synthesis from natural D-citronellal, **6,** 127
L-**Iridodial,** synthesis from L-citronellal, **6,** 217
Iridomyrmecin, biogenesis, **6,** 217
D-**Iridomyrmecin,** from D-Isoiridomyrmecin, **L15,** 14
D,L-**Iridomyrmecin,** and related γ- and δ-lactones, syntheses, **6,** 201
Isatic acid, condensation to anhydrobi-isatic acid, **6,** 304
Isatin, condensations, with 1:3-cyclohexadiones, **6,** 97
with diketones, **6,** 97
Isoaureothin and aureothin, structural correlation **L16,** 9
Isobornyloxymagnesium halide, reduction of deutero-aldehydes, **6,** 338
Isobutylene, polymerization, **6,** 154
Isoconjugation, subclassification, **5,** 253
Isocyanuric chloride, chlorination of oestradiol 17β-acetate, **L14,** 17
Isoetianic acids, 17β-hydroxy-, from diosphenols, **7,** 173
Isoflavone, 5,7, dihydroxy-6-methoxy-, synthesis, **7,** 77
5,7-dimethoxy-6-hydroxy-, synthesis, **7,** 77
5,6,7,2′,5′-pentamethoxy-, structure of podospicatin trimethyl ether, **6,** 143
5,5′,7-trihydroxy-2′,6-dimethoxy-, constitution of podospicatin, **6,** 145
Isoflavones, ring isomeric change, **7,** 77
Isohyperconjugation, subclassification, **5,** 253
D-**Isoiridomyrmecin,** conversion to D-iridomyrmecin, **L15,** 14
synthesis from natural D-citronellal and conversion to nepetalinic acid, **6,** 217
L-**Isoiridomyrmecin,** synthesis from L-citronellal, **6,** 217
D- and L-**Isoiridomyrmecin,** and related compds., synthesis, **6,** 217
Seco **Isolariciresinol,** new lignan from *Podocarpus spicatus*, **7,** 262; **L4,** 14
Isomeric change, in 5,7,8-substituted isoflavones, **7,** 77
Isophyllocladene, stereochemistry, **L10,** 21
Isopropylidene malonic acid. See Meldrum's acid.
Isoquinoline, derivatives, synthesis. **7,** 118
reduction by metal-ammonia solution, **6,** 148
Isoquinolines, ketonic, synthesis, **6,** 16

VOL. 5 1959

Isothiocyanates, reactions with iodine pentafluoride, **L17**, 16
Isotopes, ^{14}C rearrangement studies, part VIII, **7**, 206
effects and hyperconjugation, **5**, 143
hydrogen, effects and aromatic hydrogen exchange, **L13**, 20
effects and hyperconjugation, **5**, 243
effects and vibrational frequency, **5**, 352
effect in gas-phase equilibrium, **5**, 116
effect on pyrolytic elimination of acetates, **7**, 123
magnitude of electronic effects, **6**, 31
optically active deuterium compds., **6**, 338

Jatamansone, degradation studies, **L15**, 5
Jervine, C_{22} and C_{23} configuration, **L12**, 6
Julocrotine, structure, **L14**, 8

Kaempferol, isolation from *Podocarpus spicatus*, **7**, 262
Kaurene, absolute configuration, **L8**, 13
constitution, **L8**, 8
Kemithal, polymorphic forms, **7**, 277
Kerosine, Middle East, sulphur compds., obtained in refining, **7**, 311
Ketals, steroid, formation and cleavage, **6**, 287
Ketones, cyclic α-halo-, conformation equilibria, **L14**, 13
oxidative rearrangement to carboxylic acids, **L13**, 1
α,β-unsaturated, effect of + charge on position of maximum absorption, **5**, 281
Kinetics, of ion-molecule reactions, **7**, 192
participation in stereochemistry of tropinone reduction, **6**, 319
solvolysis of substituted α-phenylethyl chlorides in various media, **6**, 232
Kogagenin, structure, **7**, 62

Lactones, α-hydroxyalkyl-, rearrangement, **6**, 201
ω-Lactones, aliphatic homologous, hydrolysis to *cis*- and *trans*- open chain esters, **6**, 253
Larix decidua, lignan from, **L17**, 19
Lead, tetravinyl, vinylation reactions, **L6**, 1
Ledol, constitution, **L6**, 14
stereochemistry, **L17**, 1
(+)-Leucoanthocyanidin, from *Butea frondosa*, **6**, 21
Leucoanthocyanidins, chemistry, **6**, 181
Lignans, from *Larix decidua* and *Alnus glutinosa*, **L17**, 19
new, from *Podocarpus spicatus*, **L4**, 14; **7**, 262
(+)-Limonene, reaction with sulphur, mechanism, **6**, 10
Linkage, See Bonds.
Lithium, aluminium hydride reaction with triphenylphosphinemethylenes, **L1**, 8
chloride, reaction with t-butyl bromide, **L16**, 24
organic compds., prep., reactivity and use, **6**, 225
triethoxyaluminohydride, reagent for conversion of nitriles, to aldehydes **L3**, 9
Lochnera rosea, new alkaloid, lochnericine, **6**, 89
Lochnericine, new alkaloid from *Lochnera rosea*, **6**, 89
Luciferin, structure, **L5**, 4
Lunaria biennis, alkaloids, **L9**, 18
Lurarine, chemistry, **L9**, 18

Magnesium, anodic reduction of diketones to cyclic 1,2-diols, **5**, 293
Maleic anhydrides, condensation with 1:2,4:5, 8:9-tribenzopyrene, **6**, 358
Malonic acid esters, cyclic, enol-enolate, equilibrium, effect of solvent and pH, **7**, 1
Mammea americana, structure of mammein, **L1**, 10
Mammein, structure, **L1**, 10
Mechanisms, benzidene rearrangement, **L5**, 22
chromic acid oxidation of aldehydes, **L5**, 1
decomposition of sulphonylhydrazone salts, **7**, 305
diazomethane reaction with C—H bond of aliphatic hydrocarbons, **6**, 24
Diels-Alder reaction, **5**, 70; **L4**, 16; **L5**, 19; **L4**, 16
Dienone-phenol rearrangement of quinols, **6**, 345
formation of diazonium salts, **5**, 288
formose reaction, **L21**, 22
hydrogen transfer with pyridine nucleotides, **L15**, 10
organic reactions, kinetic isotope effects, **6**, 31
oxidative reaction of adrenaline and noradrenaline with ethylenediamine, **7**, 70
perbenzoic acid reaction with glycals, **7**, 10
polar, olefinic sulphuration, **6**, 10
polymerization of ethene, **L12**, 18
"positive halogen" reaction, benzotrichlorides with potassium iodide, **6**, 110
propylene oxide polymerization by ferric chloride, **L2**, 1
pyrolytic elimination of acetates, **7**, 123
reductions by metal-ammonia solutions, **6**, 148
squalene biosynthesis from sesquiterpenoids **L19**, 29
Meldrum's acid enol-enolate-equilibrium, effect of solvent and pH, **7**, 1
Mercuric salts, *cis* addition to olefins, **L19**, 14
Mesomeric effects, relation to inductive effects in hyperconjugation, **5**, 270
(−)-α-Methyl-β-alanine, absolute configuration, **5**, 44
Methyl group, angular, location in iresin, **7**, 37
hyperconjugation effect, **5**, 149
Methylation, of alcohols with diazomethane, **6**, 36
of naturally occurring flavonoids, **6**, 188
Methylene, mechanism of reaction with C–H bond, **6**, 24
compounds, active, reactions with 3β-acetoxy-5, 16-pregnadien-20-one, **7**, 130
Methylenecycloalkanes, hypohalous acid addition abnormal orientation, **7**, 165

Methylphenoxazin-3-one, 1-carboxy-2-amino-9-hydroxy-, cinnabarin structure, **5,** 275
Mevalonic acid, intermediates in squalene biosynthesis, **L19,** 19
Mevalonolactones, labelled, synthesis, **5,** 318
Minorins, indentity with vincamins, **L18,** 11
Mirene, absolute configuration, **L8,** 13
constitution, **L8,** 8
structure confirmation, **L8,** 17
Molecular asymmetry, in ferrocene series, **L6,** 26
Molecular orbital calculations, for cyclo-octadecanonaene, **L8,** 4
theory, application, ionization potentials of unsaturated molecules, **5,** 149
Molybdenum carbonyl complexes with organic N-compds., **L10,** 13
Moulds, metabolites, chemistry, **5,** 275
Muningin, synthesis, **7,** 77

Naphtazarins, prep., new method, **L19,** 9
1,4-Naphtoquinone, 5,8-dihydroxy-, prep., **L19,** 9
Nazarov I.N., life and work, **6,** 161
Nepetalinic acid, synthesis from D-citronellal via D-isoiridomyrmecin, **6,** 217
Nerolidyl ester, enzymic formation, squalene biosynthesis, **L19,** 24
Nitration, of 10-methyl- and 10-hydroxy-10:9-borazarophenanthrene, **7,** 213
Nitriles, conversion to aldehydes with lithium triethoxyaluminohydride, **L3,** 9
Nitroantheoquinones, prep., **5,** 93
Nitrobenzene, *p*-substituted derivatives, K-bands, effect of terminal groups with multiple bonds, **5,** 346
Nitroferrocene, prep., **L12,** 16
Nitroparaffins, substituted, hydrogen bonding between NO_2 and NH_2 or OH groups, **6,** 1
Noradrenaline, oxidative reaction with ethylenediamine, isolation and structure of fluorescent product, **7,** 70
19-Nor-Δ^4-androstene-3,17β-diol, 17α-ethinyl-, synthesis, **5,** 15
Norbornene, *cis* oxymercuration, **L19,** 14
Norton and Hansberry, "compound III", synthesis, **L21,** 5
Nostal, polymorphic forms, **7,** 277
Nuclear magnetic resonance hydrogen bonding in β-aryl ethanols, **L14,** 1
spectra of gelsemine derivatives, **L4,** 6
Nucleotides, pyridine, mechanism of hydrogen transfer, part XVII, **L15,** 10

1,4-Oestradiene-3-one, 2,4,10β-trichloro-17β-acetoxy, and 10β-chloro-17β-acetoxy synthesis **L14,** 17,
Oestradiol 17β-acetate, chlorination with isocyanuric chloride, **L14,** 17
Oestrogens, molecular structure and biological activity, part XVII, **7,** 90
Olean-13(18)-en-28-oic acid, 3β,16α-dihydroxy-, constitution of albegenic acid, **7,** 19
Olefins, bond delocalization, **5,** 166
bond length, effect on hyperconjugation, **5,** 119
catalytic addition of HCl, **6,** 154
cyclic, effect of ring size on reactions, **7,** 165
hypohalous acid addition, abnormal orientation, **7,** 165
formation, by decomposition of sulphonylhydrazone salts, **7,** 305
by pyrolytic elimination of acetates, mechanism and products, **7,** 123
heats of hydrogenation, effect of substitution, **5,** 128
ionization potentials, application of molecular orbital theory, **5,** 149
cis oxymercuration, **L19,** 14
reaction with sulphur, mechanism, **6,** 10
reactions with t-butyl perbenzoate, **L15,** 19
Optical activity, of deuterium compds., **L20,** 23
rotation, of optically active deuterium compds., **6,** 338
Organic molecules, electronic spectra, interpretation, **5,** 340
Organometallic compounds, pigments, diferrocenylmethinperchlorate, **L21,** 1
Oxidations, 4-amino-azobenzene, **5,** 27
chromic acid, of aldehyde, mechanism, **L5,** 1
degradative, location of a branch in a saturated carbon chain, **7,** 289
peracetic acid, of aminoanthroquinones, **5,** 93
***cis*-Oxymercuration,** of norbornene, **L19,** 14
Ozonolysis, of polycyclic aromatic compds., **L9,** 5

Pachyrrhizin, synthesis, **L21,** 5
Padmatin, heartwood component of *Prunus puddum*, **5,** 91
Papaverine related isoquinoline, derivatives, synthesis, **7,** 118
Pentanoic acid, 3,5-dihydroxy-3-methyl. See Mevalonic acid.
Pentobarbital, polymorphic forms, **7,** 277
Pentylbenzenes, interconversions by aluminium chloride, **L6,** 1
Perbenzoic acid, reaction mechanism with glycals, **7,** 10
t-butyl, reactions with olefins and cupric ion catalyst, **L15,** 19
Perchlorostilbenes, geometric isomers, u.v. spectra interpretation, **6,** 116
isomeric, syntheses, **6,** 110
Perchlorotoluene, reaction with KI, **6,** 110
Periplaneta americana, isolation of periplanetin, **5,** 10
secretion of β-glucoside of protocatechuic acid, **7,** 252
Periplanetin, structure, **5,** 10
Perylene, annellation effects in passing to benzocoronenes, **6,** 358
Perylene-3,9-quinone, prep., **5,** 99
Phenazines, 1- and 2- amino-, new synthesis, **L7,** 24
Phenobarbital, polymorphic forms, **7,** 277
Phenols, OH hyperconjugation, **5,** 113

VOL. 5 1959

Phenoxazin-3 one, 1,9-dimethoxycarbonyl-2-amino-, from methyl cinnabarin, **5,** 275
Phenyl magnesium bromide, action on *ω*-fluorocarboxylic acids, **5,** 38
Phenylacetone, conversion to hydratropic and hydrocinnamic acids, **L13,** 1
1:12-*o*-**Phenyleneperylene,** formation from quinone, **6,** 358
α-**Phenylethyl** chlorides, substituted, solvolysis in various media, kinetic study, **6,** 232
Phenyl-lithium reaction with 3-substituted pyridines, orientation, **L8,** 1
Phloroglucinol derivatives, nuclear bromination, **L19,** 1
Phyllocladene, absolute configuration, **L8,** 13
constitution, **L8,** 8
structure confirmation, **L8,** 17
Pigments, diferrocenylmethin-perchlorate, **L21,** 1
D-**Pimaric acid,** configuration comparison with sandaracopimaric acid, **7,** 223
Pinastric acid, constitution, **6,** 312
Piperidino-hexose-reductone, dihydro-anhydro-, synthesis, **6,** 123
structure, **6,** 123
Plants, Argentine, studies, **6,** 63
domestic, steroidal components, part XIX, **7,** 62
leucocyanidins, study, **6,** 21
Podocarpaceae, chemistry, parts I, II, III and IV, **6,** 143, 145; **7,** 262, 270
Podocarpic acid, isolation from *Podocarpus dacrydioides*, **7,** 270
Podocarpus dacrydioides, heartwood constituents, **7,** 270
spicatus, heartwood constituents, **6,** 143, 145
and new lignan, **7,** 262
seco-isolariciresinol, a new lignan from, **L4,** 14
Pododacric acid, new resin from *Podocarpus dacrydioides*, **7,** 270
Podospicatin, constitution, **6,** 145
isolation and structure, from *Podocarpus spicatus*, **6,** 143
Polycyclic aromatic compds., reactions with ozone, **L9,** 5
Polyenes, bond delocalization, **5,** 166
Polyethers, cyclic, by self condensation of 4,6-dimethylol-*m*-xylene, **L18,** 5
Polyiso-oxazoles, linear unknown, synthesis, **7,** 24
Polymerization, epoxides, by metal halides, **5,** 96
ethene, low pressure, **L12,** 18
novel catalyst system, **L12,** 24
propylene, isobutylene and styrene with titanium oxychloride, **6,** 154
stereospecific, of propylene oxide by ferric chloride, theory, **L2,** 1
Polymorphism, in barbituric acid derivatives, **7,** 277
Polyprenols, See Allylic alcohols.
Polysticin. See Cinnabarin.
Prednisolone acetate, 6α,9α-difluoro-, synthesis, **7,** 153
6α-fluoro-, new synthesis, **7,** 153
from Reichstein's substance S by *Pseudomonas*, **L18,** 17
Prednisone acetate, 6α-fluoro-, new synthesis, **7,** 153
5,16-**Pregnadien-20-one,** 3β-acetoxy-, reactions with cyanide ion and active methylene compds., **7,** 130
Δ^1-**Pregnen-17α,21-diol-3,20 dione,** See Reichstein compd. S.
Pregnenolones, 16-substituted, formation, **7,** 130
Δ^1-**Pregnene-3β,21-diol-20-one,** diacetate, synthesis, **5,** 15
Δ^1-**Pregnene-3β-ol-20-one,** synthesis, **5,** 15
Progesterone, 6α- and 6β- fluoro analogues, new syntheses, **7,** 138
16-substituted, formation, **7,** 130
Propionic acid, by oxidative rearrangement of acetone, **L13,** 1
Propylene, polymerization, **6,** 154
oxide, stereospecific polymerization by ferric chloride, theory, **L2,** 1
Protocatechuic acid 4-O-β-D-glucoside in *Blatta orientalis* and *Periplaneta orientalis*, **7,** 252
Proton, addition to 4-amino-azobenzene, **5,** 27
Prunus puddum, heartwood, isolation of padmatin **5,** 91
Pseudomonas, species, conversion of Reichsteins substance S to prednisolone, **L18,** 17
Purine, chemistry, studies, part VI, **L12,** 9
Pyranoxanthones, prep. from 2-allyl-1-hydroxy-xanthone, **7,** 31
Pyridine derivatives, synthesis, **7,** 185
Pyridines, 3-substituted, phenyl-lithium reaction, orientation, **L8,** 1
Pyrimidine-lithium compounds, syntheses with, **6,** 225
Pyrolysis, acetate, mechanism and products formed, **7,** 123
1-methylcyclohexyl acetate, deuterium isotope effect, **7,** 123
Pyronones, methylation, **L16,** 9
Pyronoxanthones, angular, synthesis, **5,** 1
Pyrroline derivatives, synthesis, **5,** 48
Pyruvic acid, non-enzymatic reduction with DPNH-model, **L15,** 10

Quercetin, isolation from *Podocarpus spicatus*, **6,** 143
Quinoid anhydro bases, naturally occurring compds., **6,** 186
o-**Quinol** acetates, Thiele rearrangement, **6,** 345
p-**Quinols** and acetates, Thiele rearrangements and reaction differences, **6,** 345
Quinone, pigments, prep. of naphtazarins, **L19,** 9
synthesis from, of 1:2-*o*-phenyleneperylene, **6** 358
4,5-g **Quinoxaline,** 2,3-dihydro-3-hydroxy-1-methylpyrrolo-, formation, adrenaline-ethylenediamine reaction, **7,** 70

Racemates, resolution, by optically active solvents, **L10,** 10

Radicals, calculation of ionization potentials, **5**, 165
α,α-dichlorobenzyl, formation, **6**, 110
Reactions, ion-molecule, in gas phase, **7**, 189
rate, effect of isotopic substitution, **6**, 31
S_N2, of t-butyl bromide with lithium chloride, **L16**, 24
Reductions, anodic, of diketones, **5**, 293
catalytic selective, of steroid double bonds, **6**, 269
isobornyloxymagnesium halide, of deutero-aldehydes, **6**, 338
metal-ammonia solutions, reaction mechanisms, **6**, 148
Raney nickel, synthesis of 1:2-benzanthracene derivatives and 3:4,9:10-dibenzopyrene, **5**, 305
selective, of steroid carbonyl groups, **6**, 281
structure of piperidino-hexose-reductone, **6**, 123
Reichstein's substance S, 6α- and 6β-fluoro-, syntheses, **7**, 138
6α-fluoro and its Δ′-analogue, incubation, **7**, 153
transformation to prednisolone by *Pseudomonas*, **L18**, 17
Reserpine, resolution during total synthesis, **L5**, 10
DL-**Reserpine**, synthesis, notes on the last stages, **L11**, 12
Resin, new, isolation from *Podocarpus decrydioides*, **7**, 270
Resolution, during total synthesis of reserpine, **L5**, 10
of racemates, by optically active solvents, **L10**, 10
Resonance and conjugation, butadiene, **5**, 176
effect on bond lengths in conjugation and hyperconjugation, **6**, 68
energy, of 1,4,5-triazacyclohepta-2,6-diene and derivatives, **L9**, 10
inductive effects on reactivity, of *p*-alkyl substituted benzene derivatives, **5**, 210
relation to Baker-Nathan effect, **5**, 233
steric inhibition, *cis*- and *trans*- substituted stilbenes, **6**, 116
Rhetine, isolation from *Xanthophylum rhetsa*, **7**, 257
Rhetsine, constitution and isolation from *Xanthophylum rhetsa*, **7**, 257
Rhetsinine, constitution, and isolation from *Xanthophylum rhetsa*, **7**, 257
Rimuene, absolute configuration, **L8**, 13
structure confirmation, **L8**, 17
Ring contraction and group transfer, in D-homosteroids, **7**, 173
Rosenonolactone, biosynthesis in *Trichothecium roseum*, **7**, 241
Rotatory dispersion, absolute configuration of iresin, **7**, 37
Rupe rearrangement, 17β-hydroxy-17-ethylnyl steroids, **L21**, 10
Rutilantinone, structure, **L16**, 17
Sandaracopimaric acid, constitution, part II, **7**, 223
Sapogenins, steroidal, structure of a kogagenin, **7**, 62
triterpenoid, new, from *Albizzia lebbeck*, **7**, 19
Sepia officianalis, structure of sepiomelanin, **L21**, 14
Sepiomelanin, structure, **L21**, 14
Sesquiterpenes, biogenesis, stereochemical implications, **7**, 82
degradation of jatamansone, **L15**, 5
new, from agarwood oil, **L9**, 13
squalene biosynthesis, mechanism, **L19**, 29
Sequoyitol, isolation from *Podocarpus spicatus*, **7**, 262
Solvents, effects, $\pi \rightarrow \pi$ electronic transitions in α,β-unsaturated ketones, **5**, 281
in i.r. spectra of carbonyl compds., **L3**, 19
on hyperconjugation, **5**, 243
optically active, resolution of racemates, **L10**, 10
participation, effect of deuterium substitution on hyperconjugation, **5**, 145
role in Baker–Nathan effect of alkyl substituents, **5**, 194
Solvolysis, ^{14}C rearrangement and ^{35}S exchange in 2 phenylethyl *p*-toluene sulphonate, **7**, 206
rates, benzhydryl chlorides, effect of hyperconjugation, **5**, 179
substituted α-phenylethyl chlorides, in various media, kinetic study, **6**, 232
Solutions, structure—part III, **L10**, 10
Spectra, absorption, azo- and azoxy- benzenes, **5**, 31
bicyclo[4.4.0]dec-5-en-4-one, in different solvents, **5**, 281
doublet character of O–H in saturated alcohols, **L13**, 4
hypsochromic shift, *trans*-α,α′-dichlorostilbenes, **6**, 115
3-methyl-3-azabicyclo[4.4.0]dec-6-en-8-one and quaternary salt in different solvents, **5**, 281
absorption maximum, position, effect of a + charge in bicyclic α,β-unsaturated ketones, **5**, 281
asymmetric annellation effects, **5**, 98
electronic, effect of hydrogen bonding in OH or NH_2 substituted nitroparaffins, **6**, 1
K-bands of conjugated systems, effect of terminal groups with multiple bands, **5**, 340
of organic molecules, interpretation, **5**, 340
infra-red, carbonyl compds., solvent effect, **L3**, 19
detn. of intramolecular hydrogen bonding in monohydroxy derivatives of tetrahydroxy pyran, tetrahydroxy furan and 1,3-dioxan, **7**, 10
furan tetrahydrocarboxylic acid, **7**, 299
halogeno-substituted dioxanes, **L10**, 17
hexamethyl benzene and its chloranil complex, **5**, 352

Spectra, infra-red (*continued*)
D-iridomyrmecin (synthetic) and L-iridomyrmecin (natural), **L15,** 16
L-isoiridomyrmecin and iridomyrmecin, **6,** 221
periplanetin, **5,** 10
polyiso-oxazoles, **7,** 28
polymorphic barbituric acids, **7,** 278
raman, of halogen *o*-substituted dioxanes, **L10,** 17
ultra-violet, benzcycloalkenes, effect of hyperconjugation, **5,** 179
comparison of acenes, 1:2-3:4-dibenzacenes and tetrabenzacenes, **6,** 355
extended xanthone systems, **5,** 1
furan tetrahydrocarboxylic acid, **7,** 299
geometric isomers of chlorostilbenes, interpretation, **6,** 116
10-methyl- and 10-hydroxy-10:9-borazarophenanthrene chlorination and nitration products, **7,** 215
nitroparaffin derivatives containing OH or NH_2 groups, **6,** 1
seco-isolariciresinol, matairesinol, isolariciresinol and conidendrin, **7,** 264
xanthones with conjugated angular ring or capable of chelation, **7,** 31
Spectrophotometry, infra-red, stereochemistry of tropinone reduction, **6,** 319
studies, on formazans, **L11,** 16
on N–S bonds in organic molecules, **L11,** 21
polymorphism in substituted barbituric acids, **7,** 277
Spectroscopy, study of "trans-fixed" β-diketones and cyclic malonic esters, **7,** 1
Spinochromes, synthesis, **L19,** 9
25D-**Spirostane**-1β,2β,3α,5β-**tetrol,** structure of naturally occurring kogagenin, **7,** 62
studies, **L19,** 19
Squalene, biosynthesis, from sesquiterpenoids, mechanism, **L19,** 29
use of polyprenol derivatives, **L19,** 27
rearrangement of methyl groups during enzymic cyclization, **5,** 311
Stereochemistry, absolute configuration of iresin, **7,** 37
aromadendrene, alloaromadenrene, globulol, ledol and viridiflorol, **L17,** 1
aspects, part II, intramolecular hydrogen bonding in monohydroxy derivatives of tetrahydrofuran, tetrahydropyran and 1:3-dioxan, **7,** 10
configuration at C_{22} and C_{23} in veratramine and jervine, **L12,** 6
configurations of benzyl-α-*d* alcohol and 1-butanol-1-*d*, **6,** 338
correlation between L-α,α-dimethyl β-ethyl allenoic acid and L-n-bisdehydrodoisynolic acid, **7,** 90
decomposition of sulphonyl hydrazone salts, **7,** 305
deoxypodocarpic acid isomers, **L1,** 19
implications in sesquiterpene biogenesis, **7,** 82
of agarol, **L9,** 13
of columbin, **L15,** 1
of Diels–Alder reaction, **5,** 71
of isophyllocladene, **L10,** 21
of primary carbon, part X, optically active deuterium compds., **6,** 338
reduction of tropinone, **6,** 319
ring contraction in diosphenols, **7,** 173
Stereomutation, of perchlorostilbenes, **6,** 118
Steric effects on hyperconjugation, **5,** 243
Steroids, chemistry, selective reactions and modification of functional groups, **6,** 269
components of domestic plants, **7,** 62
5α,6α-epoxides, fission with boron trifluoride-etherate, conformational and electronic factors, **7,** 138
6-fluoro-Δ^4-3-ketones, new synthesis, **7,** 138
17β-hydroxy-17-ethynyl-, dehydration aromatization, **L21,** 10
16-substituted, **7,** 130
synthesis of halogenated hormones, parts CXX and CXXI, **7,** 138, 153
Sterols, synthesis, use of polyprenol derivatives, **L19,** 27
Stilbene, α,2,3,4,5,α',2′,3′,4′,5′-decachloro-, geometric isomers, u.v. spectra, interpretation **6,** 116
α,α-dichloro-, geometric isomers, u.v. spectra, interpretation, **6,** 116
Stilbenes, decachloro-, synthesis, **6,** 110
Styrene, polymerization, **6,** 154
Substitution, alkyl, stabilizing effect in unsaturated systems, **5,** 133
aromatic, secondary isotope effects and aromatic hydrogen exchange, **L13,** 20
$-CH_2X$, effects on hyperconjugation, **5,** 135
electrophilic aromatic, C–H hyperconjugation, **5,** 107
Finkelstein S_N2, of t-butyl bromide, **L16,** 24
in 10:9-borazaro-phenanthrenes, **7,** 213
Sugar derivatives, reaction with benzaldehyde, **L1,** 1
Sulphonylhydrazone salts, decomposition, part I, **7,** 305
Sulphur, reaction with olefinic substances, mechanism, **6,** 10
Sulphur compounds, in kerosine boiling range of Middle East distillates, **7,** 311
Sulphuration, olefinic, polar mechanism, **6,** 10

Taxifolin, borohydride reduction, **6,** 21
(+)-**Taxifolin,** isolation from *Podocarpus spicatus*, **7,** 262
Techniques, calculation of ionization potentials, **5,** 165
Tellurium compounds, addition to double bonds, **L6,** 11
Teloschistes flavicans, isolation and structure of vicanicin, **L9,** 1
Terpenes, plant, biosynthesis, **L3,** 1
Terpenoid acids, biosynthesis from polyprenol derivatives **L19,** 27

VOL. 5 1959

Terpenoids, part VI, synthesis of DL-ar-tumerone, **7**, 236
part XXXIX, iresin, complete structure and absolute configuration, **7**, 37
Testosterone, acetate, 4-methyl-, bromination, **7**, 37
direct methylation, **6**, 36
6α-fluoro-, new synthesis, **7**, 138
1,4,5,8-**Tetra-aza-anthracene**, 1,2,3,4-tetrahydro-, formation, noradrenaline—ethylenediamine reaction, **7**, 70
Tetrabenzacenes, u.v. spectra, comparison with acenes and 1:2-3:4-dibenzacenes, **6**, 355
Tetrabenzotetracene, synthesis, **6**, 355
Tetrahydrofuran, 2,2-diphenyl, formation from γ-fluorobutyrate, **5**, 38
monohydroxy derivatives, intramolecular hydrogen bonding, **7**, 10
4,5,6,7-**Tetrahydroisothianaphene**, 1,4,4-trimethyl-, from refining of Middle East kerosine, **7**, 311
Tetrahydropyran, monohydroxy derivatives, intramolecular hydrogen bonding, **7**, 10
Tetrahydropyran-3-ol, synthesis, **7**, 10
3,4,5,6-**Tetrahydro-1,3-thiazines**, 2-imino-derivatives, by rearrangement of N-substituted 1-thiocarbamylazetidines, **L12**, 12
3:3′,5′:5″,3‴:3‴-**Tetraiso-oxazole**, synthesis, **7**, 24
Tetraphenylcyclobutadiene, possible formation, **L5**, 14
Thelephoric acid, structure, **L8**, 20
Thermochemistry, evidence for hyperconjugation, **5**, 127
Thermodynamics, of Diels–Alder reaction, **5**, 72
participation in stereochemistry of tropinone reduction, **6**, 319
2-Thienyl sulphide, 3,4,5-trimethyl-, from refining of Middle East kerosine, **7**, 311
Thiobarbituric acid derivatives polymorphism, **7**, 277
1-Thiocarbamylazetidines, N-substituted, rearrangement into 2-imino-3,4,5,6-tetrahydro-1,3-thiazine, **L12**, 12
Thiopental, polymorphic forms, **7**, 277
Thiophene, bicyclic, from refining of Middle East kerosine, **7**, 311
Thymidine, synthesis from 5-bromodeoxyuridine, **6**, 225
Thymine, $C^{14}H_3$, synthesis from pyrimidine-lithium intermediate, **6**, 225
separation from uracil, ion-exchange chromatography, **6**, 225
Titanium chloride, action on alcohols, **6**, 154
organic compds., formation and properties, **6**, 154
oxychloride, catalyst, addition of HCl to olefins, **6**, 154
polymerization of propylene isobutylene and styrene, **6**, 154
trichloride reactions with aluminium trimethyl, **L17**, 7
tetrachloride, interaction with diethylaluminium chloride, **L12**, 18
Titanium tetrachloride, reaction with aluminium trimethyl, **L20**, 12
2:2′-**Tolandiboronic acid**, isomerization, **L14**, 21
p-**Toluenesulphonate**, 2-phenylethyl, isotope position rearrangements during solvolysis, **7**, 206
p-**Toluquinol**, and acetate, action of acids, **6**, 345
Tommila equation, correlation with solvolysis rates of substituted α-phenylethyl chlorides, **6**, 232
Trametes cinnabarina, cinnabarin, isolation and structure, **5**, 275
Transglycosylation, O-aglycone replacement by N-aglycone, **6**, 91
1,3,5-**Trialkylbenzenes**, HF–BF_3 complexes, hyperconjugation in, **5**, 186
1,4,5-**Triazacycloheptа-2,6-diene**, and derivatives, aromaticity, **L9**, 10 G
1-methyl-2:3,6:7-dibenzo-, synthesis, **L9**, 10
1:2,4:5,5:8-**Tribenzopyrene**, formation from, of 1:2,5:6-dibenzocoronene, **6**, 358
Trichothecium roseum, biosynthesis of rosenonolactone, **7**, 241
3:3′,5′:5″-**Tri-iso-oxazole**, synthesis, **7**, 24
3:3′,5′:3″-**Tri-iso-oxazole**, synthesis, **7**, 24
Triphenylchlorosilane, reductive coupling, **5**, 97
Triphenylene, annellation effects in passing to benzocoronenes, **6**, 358
Triphenylphosphinemethylenes, reaction with lithium aluminium hydride, **L1**, 8
Triterpene acid, new, from *Albizzia lebbeck*, **7**, 19
Triterpenoids, part X, **7**, 19
(−)-**Tropic acid**, and naturally occurring esters, configuration, **L7**, 16
Tropinone, reduction, stereochemistry, **6**, 319
DL-ar-**Tumerone**, synthesis from DL-curcumone, **7**, 236

Uracil, 5-ethyl-, synthesis from pyrimidine-lithium intermediate, **6**, 225
separation from thymine, ion-exchange chromatography, **6**, 225

Veratramine, C_{22} and C_{23} configuration, **L12**, 6
Vessicolorin, non-identity with 1,3,8-trihydroxy-2-hydroxymethylanthraquinone, **6**, 331
Vicanicin, constitution, **L9**, 1
Vilsmeier reaction, formation of organometallic pigments, **L21**, 1
Vincamins, identity with minorins, **L18**, 11
Vinylation reactions, with tetravinyl lead, **L6**, 1
Vinylferrocene, reactivity toward weak electrophilic reagents, **L5**, 16
Viridoflorol, constitution, **L6**, 14
stereochemistry, **L17**, 1
structure, **L3**, 15

Winstein–Grünwald equation, correlation with solvolysis rates of substituted α-phenylethyl chlorides, **6**, 232

Xanthone, 1-acetyl-2-hydroxy-, orientation and reactions, **5**, 1
4-acetyl-1-hydroxy-, orientation, **7**, 31

Xanthone (*continued*)
2-allyl-1-hydroxy-, prep. and reactions, **7,** 31
2-formyl-1-hydroxy-, orientation, **7,** 31
series, studies, parts III and IV, **5,** 1; **7,** 31
Xanthones, monofluoro-, substituted, prep., **6,** 315
Xanthoperol, isolation from *Podocarpus dacrydioides*, **7,** 270
Xanthophylum rhetsa, quinazoline alkaloids, **7,** 257
X-ray analysis, structure of gelsemine hydrohalides, **L4,** 1
diffraction, 3-dimensional structure of ψ-conhydrine, **6,** 103
X-ray diffraction patterns, of halogeno-substituted dioxanes, **L10,** 18
studies, polymorphism in substituted barbituric acids, **7,** 277
o-**Xylene,** α,α,α′-α′-tetrabromo-, reaction with potassium t-butoxide, **L20,** 7
m-**Xylene,** 4,6-dimethylol-, self condensation to cyclic ethers, **L18,** 5

Z values, use, calculation of excited state dipole moments, **5,** 281
Ziegler polymerization of ethene, **L12,** 18
novel catalyst system, **L12,** 24

VOL.
5
1959

AUTHOR AND TITLE INDEX

Abramovitch R. A., **Notation** A. D. and **Choo Seng** G. Orientation in the reaction of phenyllithium with 3-substituted pyridines. **L8,** 1

Aghoramurthy K., **Sarma** K. G. and **Seshadri** T. R. The structure of thelephoric acid. **L8,** 20

Agre C. L. see **Cason** J. **7,** 289

Ahluwalia V. K., **Gupta** V. N., **Seshadri** T. R. Synthesis of fraxidin. **5,** 90

Allen F. L., **Koch** P. and **Suschitzky** H. Heterocyclic fluorine compounds—III. Monofluoroxanthones. **6,** 315

Allinger N. L. and **Youngdale** G. A. The synthesis of 1-methyl-2:3,6:7-dibenzo-1,4,5-triaza-cyclohepta-2,6-diene. **L9,** 10

Altona C., **Romers** C. and **Havinga** E. Molecular structure and conformation of some dihalogenodioxanes. **L10,** 16

Amiel Y. see **Conroy** H. **L11,** 4

Arnold R. T. see **Moore** W. R. **5,** 179

Ayyangar N. R., **Ioshi** B. S. and **Venkataraman** K. Anthraquinone and anthrone series—XXIII. The non-identity of 1:3:8-trihydroxy-2-hydrosymethyl anthraquinone with versicolorin and a synthesis of damnacanthol and damnacanthal. **6,** 331

Babin D. R. see **Wiesner** K. **L3,** 11

Bachelor F. W. see **Wiesner** K. **L2,** 15

Bacskai R. see **Schleyer** P. von R. **L14,** 1

Baker A. W. see **Traylor** T. G. **L19,** 14

Baker J. W. Substituent effects on hyperconjugation: Evaluation of hyperconjugation energy for groups of the type $\cdot CH_2X$. **5,** 127

Balaban A. T. Possible formation of tetraphenylcyclobutadiene. **L5,** 14

Balenović K. and **Bregant** N. Absolute configuration of α-methyl-β-alanine. **5,** 44

Ballester, M., **Molinet** C. and **Rosa** J. The "positive halogen" reaction between benzotrichlorides and potassium iodide. Relevant mechanistic and steric aspects. **6,** 109

Balon A. D. J. see **Beckett** A. H. **6,** 319

Bank J. see **Frankel** M. B. **L7,** 5

Bartlett M. F. and **Taylor** W. I. A total synthesis of dl-eburnamonine. **L20,** 20

Barton D. H. R., **de Mayo** P., **Morrison** G. A. and **Raistrick** H. The constitutions of atrovenetin and of some related herqueinone derivatives. **6,** 48

Beckett A. H., **Harper** N. J., **Balon** A. D. J. and **Watts** T. H. E. Stereochemistry of the reduction **6,** 319

Benešová V. see **Suchý** M. **L10,** 5

Bentley K. W. and **Robinson** R. A synthesis of α-anhydrotrimethylbrazilone. **L2,** 11

Bergelson L. D. I. N. Nazarov 1906–1957. **6,** 161

Bergmann, E. D., **Blum** J., **Butanaro** S. and **Heller** A. Fluoro-derivatives of polycyclic carcinogenic compounds. **L1,** 15

Berliner E. Some thoughts on the Baker–Nathan order. **5,** 202

Berrer D. see **Lüttringhaus** A. **L10,** 10

Berry W. L. see **Mosby** W. L. **5,** 93

Bhattacharyya S. C. see **Iain** T. C. **L9,** 13

Bickel A. F. see van **Helden** R. **L12,** 18, 24

Bickelhaupt F. see **Wiesner** K. **L3,** 11

Birch A. J., **Boulter** D., **Fryer** R. I., (Mrs.) **Thomson** P. J. and **Willis** J. L. The biosynthesis of citronellal and of cineole in *Eucalyptus*. **L3,** 1

Birch A. J., **Grimshaw** J., **Speake,** R. N., **Gascoigne** R. M. and **Hellyer** R. C. Aromadendrene and viridiflorol. **L3,** 15

Birch A. J. and **Nasipuri** D. Reaction mechanisms in reductions by metal–ammonia solutions. **6,** 148

Birch, A. J., **Richards** R. W., **Smith** H., **Harris** A. and **Whalley** W. B. Studies in relation to biosynthesis—XXI. Rosenonolactone and gibberellic acid. **7,** 241

Birch S. F., **Cullum** T. V., **Dean** R. A. and **Redford** D. G. Sulphur compounds in the kerosine boiling range of Middle East distillates. Occurrence of a bicyclic thiophene and a thienyl sulphide. **7,** 311

Bitterlich W. see **Weygand** F. **6,** 123

Bladon P., **Ikan** R., **Spring** F. S. and **Tait** A. D. The chemistry of the lunaria alkaloids, I. **L9,** 18

Bloom S. M. An acid stable cyclohexadienone. **L21,** 7

Blum J. see **Bergmann** E. D. **L1,** 15

Bobinowa L. M. see **Rasuwajew** G. A. **6,** 154

Bognar, R., **Rakosi** M., **Fletcher** H., **Philbin** E. M. and **Wheeler** T. S. A new method for the preparation of 4-hydroxyflavans. **L19,** 4

Bose S. see **Chatterjee** A. **7,** 257

Boulter D. see **Birch** A. J. **L3,** 1

Braendlin H. P. see van **Helden** R. **L12,** 24

Bregant N. see **Balenović** K. **5,** 44

Breslow R. On the mechanism of the formose reaction. **L21,** 22

Brewster J. H. A useful model for the optical activity of deuterium compounds. **L20,** 23

Briggs L. H. and **Cain** B. F. Chemistry of the podocarpacae—I. Constituents of the heartwood of *Podocarpus spicatus*. **6,** 143

Briggs L. H., **Cain** B. F., **Davis** B. R. and **Wilmhurst** J. K. The absolute configuration of phyllocladene, mirene, rimuene, cupressene and kaurene. **L8,** 13

Briggs, L. H. **Cain** B. F., **Davis** B. R. and **Wilmhurst** J. K. The constitution of the diterpenes, phyllocladene, mirene, kaurene, cryptomerene and cupressene. **L8,** 8
Briggs, L. H., **Cain** B. F. and **Cambie** R. C. Confirmation of the structure of phyllocladene, mirene and rimuene and the configuration of cupressene. **L8,** 17
Briggs L. H., **Cambie** R. C. and **Hoare** J. L. seco-isoLariciresinol, a new lignan from *Podocarpus spicatus*. **L4,** 14
Briggs L. H., **Cambie** R. C. and **Hoare** J. L. Chemistry of the podocarpaceae—III. A new lignan, seco-isolariciresinol and further constituents of the heartwood of *Podocarpus spicatus*. **7,** 262
Briggs, L. H., **Cambie** R. C., **Seelye** R. N. and **Warth** A. D. Chemistry of the podocarpaceae—IV. Constituents of the heartwood of *Podocarpus dacrydioides* A. Rich. **7,** 270
Briggs L. H. and **Cebalo** T. P. Chemistry of the podocarpaceae—II. The isolation of genistein from *Podocarpus spicatus* and the constitution of podospicatin. **6,** 145
Brook P. R. see **Conroy** H. **L11,** 4
Brown H. C., **Shoaf** C. J. and **Garg** C. P. Lithium triethoxyaluminohydride as a convenient reagent. **L3,** 9
Brown R. F. C. see **Wiesner** K. **L2,** 15
Brunet P. C. J. see **Kent** P. W. **7,** 252
Büchi G., **Chow** S. W., **Matsuura** T. and **Popper** T. L. Terpenes XII. The constitutions of aromadendrene, globulol, ledol and viridoflorol. **L6,** 14
Büchi G. see **Wiesner** K. **L2,** 15
Budzikiewicz H. see **Metlesics** W. **6,** 345
Buell G. R., **McEwen** E. and **Kleinberg** J. Extraordinary reactivity of the ethylenic group of vinylferrocene toward the addition of weak acids. **L5,** 16
Burawoy A. and **Critchley** J. P. Electronic spectra of organic molecules and their interpretation—V. Effect of terminal groups containing multiple bonds on the K-bands of conjugated systems. **5,** 340
Burchman G. see **Saunders** M. **L1,** 8
Butanaro S. see **Bergmann** E. D. **L1,** 15

Cain B. F. see **Briggs** L. H. **L8,** 8, 13, 17; **6,** 143
Cambie R. C. see **Briggs** L. H. **L4,** 14; **L8,** 17; **7,** 262, 270
Cardani C., **Casnati** G., **Piozzi** F. and **Quilico** A. The constitution of echinulin. **L16,** 1
Carpanelli C. see **Foffani** A. **L11,** 21
Caserio M. C. see **Neeman** M. **6,** 36
Casnati G. see **Cardani** C. **L16,** 1
Cason J., **Searing Fessenden** J. and **Agre** C. L. Location of a branch in a saturated carbon chain. **7,** 289
Cava, M. P., **Wienstein** B. and **Malhotra** S. S. On the stereochemistry of columbin. **L15,** 1
Cavill G. W. K., **Clezy** P. S., **Tetaz** J. R. and **Werner** R. L. The chemistry of mould metabolites—III. Structure of cinnabarin (polystictin) **5,** 275
Cebalo T. P. see **Briggs** L. H. **6,** 145
Cekan Z., **Trojánek** J. und **Zabolotnaja** E. S. Uber die Identität des Minorins und des Vincamins, **L18,** 11
Chakrabarti J. K. see **Conroy** H. **L4,** 6
Chandross E. A. see **Yates** P. **L20,** 1
Chatterjee A., **Bose** S. and **Ghosh** C. Rhetsine and rhetsinine. The quinazoline alkaloids of *Xanthoxylum rhetsa*. **7,** 257
Cheng C. C. see **Taylor** E. C. **L12,** 9
Choo Seng G. see **Abramovitch** R. A. **L8,** 1
Chow S. W. see **Büchi** G. **L6,** 14
Clar E. Asymmetric annellation effects. **5,** 98
Clar E. Asymmetric annellation effects—II. **6,** 355
Clar E., **Ironside** C. T. and **Zander** M. Asymmetric and symmetric annellation effects—III. Benzocoronenes. **6,** 358
Clark K. J., **Fray** G. I., **Jaeger** R. H. and **Robinson** R. Synthesis of D- and L-*iso*iridomyrmecin and related compounds. **6,** 217
Cleverley B. and **Williams** P. P. Polymorphism in substituted barbituric acids. **7,** 277
Clezy P. S. see **Cavill** G. W. K. **5,** 275
Cocker W., **Davis** W. J., **McMurry** T. B. H. and **Start** P. A. Furan tetracarboxylic acid. **7,** 299
Coleman W. E. see **Jensen** F. R. **L20,** 7
Comin J. and **Deulofeu** V. Studies on Argentine plants—XVII. The structure of fagarine II. **6,** 63
Conroy H., **Brook** P. R. and **Amiel** Y. On the structure of aspidospermine. **L11,** 4
Conroy H. and **Chakrabarti** J. K. NMR Spectra of gelsemine derivatives. The structure and biogenesis of the alkaloid gelsemine. **L4,** 6
Corey E. J. A theory for the stereospecific polymerization of propylene oxide by ferric chloride. **L2,** 1
Cornforth J. W., **Cornforth** R. H., **Pelter** A., **Horning** M. G. and **Popják** G. Studies on the biosynthesis of cholesterol—7. Rearrangement of methyl groups during enzymic cyclisation of squalene. **5,** 311
Cornforth J. W. and **Popják** G. Mechanism of biosynthesis of squalene from sesquiterpenoids. **L19,** 29
Cornforth R. H. see **Cornforth** J. W. **5,** 311
Corral R. A. see **Nakano** T. **L14,** 8
Craven J. M. see **Schubert** W. M. **5,** 194
Critchley J. P. see **Burawoy** A. **5,** 340
Csepreghy Gy. see **Fodor** G. **L7,** 16
Cullum T. V. see **Birch** S. F. **7,** 311

Darwish D. see **Winstein** S. **L16,** 24
Dave K. G., **Joshi** B. S., **Patwardhan** A. V. and **Venkataraman** K. The constitution of erythrolaccin. **L6,** 22
Davies B. R. see **Briggs,** L. H. **L8** 8, 13
Davies R. W. Cycloöctadecanonaene: a theoretical study. **L8,** 4
Davies W. J. see **Cocker** W. **7,** 299

VOL. 5 1959

Dean R. A. see **Birch** S. F. **7,** 311
De La Mare P. B. D. An assessment of some experimental approaches to NH and OH hyperconjugation. **5,** 107
Denney D. B., **Denny** D. Z. and **Feig** G. Some observations concerning the copper salt catalyzed reactions of t-butyl perbenzoate with olefins. **L15,** 19
Denney D. Z. see **Denney** D. B. **L15,** 19
DePuy C. H. and **Story** P. R. Gas chromatographic evidence for intra-molecular hydrogen bonding with double bonds. **L6,** 20
Desai N. B. and **Venkataraman** K. Raney nickel reductions—VIII. A synthesis of 1:2-benzanthracene and its 3′-methyl and 4-methyl derivatives. **5,** 305
Deulofeu V. see **Comin** J. **6,** 63
Deulofeu V. see **Ondetti** M. A. **L7,** 1
Dev S. Structure of humulene. **L7,** 12
Dewar M. J. S. Mechanism of the Diels–Alder reaction. **L4,** 16
Dewar M. J. S. and **Dietz** R. Aromatic boron–oxygen heterocycles. **L14,** 21
Dewar M. J. S. and **Kubba** V. P. New heteroaromatic compounds—IV. The nitration and chlorination of 10-methyl-10:9-borazarophenanthrene. **7,** 213
Dewar M. J. S. and **McNicoll** H. Mechanism of the benzidene rearrangement. **L5,** 22
Dewar M. J. S. and **Schmeising** H. N. A re-evaluation of conjugation and hyperconjugation: The effects of changes in hybridisation on carbon bonds. **5,** 166
Dietz R. see **Dewar** M. J. S. **L14,** 21
Djerassi C., **Eisenbraun** E. J., **Finnegan** R. A. and **Gilbert** B. Naturally occurring heterocyclics V. mammein. **L1,** 10
Djerassi C. see **Finnegan** R. A. **L13,** 11
Djerassi C. see **Nakano** T. **L14,** 8
Dobinson B., **Foster** A. B. and **Stacey** M. Observations on some carbohydrate benzylidene derivatives. **L1,** 1
Doering W. von E. and **Goldstein** M. J. An unusual rearrangement of an acyl azide. **5,** 53
Doering W. von E. and **Prinzbach** H. Mechanism of reaction of methylene with the carbonhydrogen bond. Evidence for direct insertion. **6,** 24
Dolejš L. and **Šorm** F. Position of the cyclopropane ring in aromadendrene. **L10,** 1
Dolejš L. and **Šorm** F. Stereochemistry of aromadendrene, alloaromadendrene, globulol, ledol and viridiflorol. **L17,** 1
Donnelly J. A. Nuclear bromination in phloroglucinol derivatives. **L19,** 1
Draber W. see **Wallenfels** K. **L13,** 24
Drozd V. N. see **Nesmeyanov** A. N. **L17,** 13
Dvolaitzky M., **Mamlok** L. et **Jacques** J. Deshydration aromatisante des 17-éthynylcarbinols stéroïdes. **L21,** 10

Eguchi S. see **Hirata** Y. **L5,** 4
Eisenbraun E. J. see **Djerassi** C. **L1,** 10
Ernest I. see **Protiva** M. **L11,** 12
Etlis V. S. see **Rasuwajew** G. A. **6,** 154

Falbe J. see **Korte** F. **6,** 201
Farina F., **Lora-Tamayo** M. and **Suarez** C. A new method for the preparation of naphtazarins. **L19,** 9
Feig G. see **Denny** D. B. **L15,** 19
Fenton S. E. see **Moore** W. R. **5,** 179
Fernez A. et **Stoffyn** P. J. Synthèse du 1′,6-anhydro-galactose. **6,** 139
Feuer H. see **Frankel** M. B. **L7,** 5
Field F. H. see **Lampe** F. W. **7,** 189
Fierens P. J. C. see **Mechelynck-David** C. **6,** 232
Finnegan R. A. and **Djerassi** C. Naturally occurring oxygen heterocyclics. 4-Phenyl-5,7-dihydroxy-6-isovaleryl-8-isopentylcoumarin. **L13,** 11
Finnegan R. A. see **Djerassi** C. **L1,** 10
Fisher B. E. see **Weygand** F. **6,** 123
Fletcher H., **Philbin** E. M., **Thornton** P. D. and **Wheeler** T. S. A new synthesis of flavonols. **L6,** 9
Fletcher H. see **Bognar** R. **L19,** 4
Flygare K. L. Jr. see **Grubert** H. **L12,** 16
Fodor G. and **Csepreghy** Gy. The configuration of (−) tropic acid and of its naturally occurring esters. **L7,** 16
Fodor G., **Romeike** A., **Janzsó** G. and **Koczor** I. Epoxidation experiments *in vivo* with dehydrohyoscyamine and related compounds. **L7,** 19
Foffani A., **Leandri** G., **Zanon** I. and **Carpanelli** C. On the assignment of azothio-group stretching vibrations in azothiobenzenes. **L11,** 21
Foffani A., **Pecile** C. and **Ghersetti** S. On the occurrence of hydrogen bonding in C-alkyl- and C-halogen-formazans. **L11,** 116
Foster A. B. see **Dobinson** B. **L1,** 1
Fowler L. R. see **Wiesner** K. **L2,** 15; **L18,** 1
Frankel M. B., **Feuer** H. and **Bank** J. The preparation of N-disubstituted formamides. **L7,** 5
Fray G. I. see **Clark** K. J. **6,** 217
Freudenberg K. und **Weinges** K. Lignane des Lärchen und Erlenholzes (*Larix decidua* und *Alnus glutinosa*). **L17,** 19
Fryer (Mrs.) R. I. see **Birch** A. J. **L3,** 1
Fujisawa T. and **Sugasawa** S. Extension of the Bischler–Napieralski reaction—IV. Synthesis of some pyridine derivatives. **7,** 185

Gabant J. see **Rodriguez** L. **L17,** 17
Gaertner G. see **Gray** A. **L7,** 24
Galik V., **Petrů** F. und **Kuthan** J. Zur Konstitution der Sandarakopimarsäure—II. Über die sterische Beziehung der Sandarakopimarsäure zu den Dextropimarsauren. **7,** 223
Gandhi R. P., **Vig** O. P. and **Mukherji** S. M. Terpenoids—VI. A novel unambiguous synthesis of DL-ar-turmerone. **7,** 236
Ganguly A. K. and **Seshadri** T. R. A study of leucoanthocyanidins of plants—II. (+)Leucocyanidin from the gum of *Butea frondosa*. **6,** 21

Garg C. P. see **Brown** H. C. **L3,** 9
Gascoigne R. M. see **Birch** A. J. **L3,** 15
Ghersetti S. see **Foffani** A. **L11,** 16
Ghosh C. see **Chatterjee** A. **7,** 257
Gilbert B. see **Djerassi** C. **L1,** 10
Goel R. N. and **Seshadri** T. R. Padmatin, a new component of the heartwood of *Prunus puddum*. **5,** 91
Goldstein M. J. see **Doering** W. von E. **5,** 53
Gordon J. J. see **Ollis** W. D. **L16,** 17
Götz M. see **Wiesner** K. **L2,** 15; **L3,** 11
Govindachari T. R., **Pai** B. R., **Purushothaman** K. K. and **Rajadurai** S. Jatamansone. **L15,** 5
Graber R. P. see **Wendler** N. L. **7,** 173
Grant P. K. and **Hodges** R. Stereochemistry of isophyllocladene. **L10,** 21
Gray A., **Gaertner** G. and **Holliman** F. G. A new synthesis of 1- and 2-amino phenazines. **L7,** 24
Grimshaw J. see **Birch** A. J. **L3,** 15
Grover P. K. and **Seshadri** T. R. Constitution of pinastric acid. **6,** 312
Grubert H. and **Flygare** K. L. Jr. Nitroferrocene. **L12,** 16
Gupta V. N. see **Ahluwalia** V. K. **5,** 90

Halevi E. A. and **Nussim** M. Secondary hydrogen isotope effects and vibrational frequency shifts. **5,** 352
Han Y. W. see **Roberts** R. M. **L6,** 5
Hargitay B. see **Rodriguez** L. **L17,** 17
Harper N. J. see **Beckett** A. H. **6,** 319
Harris A. see **Birch** A. J. **7,** 241
Haslam E. Perylene-3,9-quinone. **5,** 99
Hassall C. H. and **John** D. I. The constitution of hypoglycin B. **L3,** 7
Havinga E. see **Altona** C. **L10,** 16
van **Helden** R., **Bickel** A. F. and **Kooyman** E. C. Studies on low-pressure polymerization of ethene. The interaction of $AlEt_2Cl$ and $TiCl_4$. Polymerization of ethene at low temperature; formation of bifunctional products. **L12,** 18
van **Helden** R., **Braendlin** H. P., **Bickel** A. F. and **Kooyman** E. C. A novel catalyst system for the low-pressure polymerization of ethene. **L12,** 24
Heller A. see **Bergmann** E. D. **L1,** 15
Hellman H. M. and **Rosegay** A. The oxidative rearrangement of ketones to carboxylic acids. **L13,** 1
Hellyer R. C. see **Birch** A. J. **L3,** 15
Herout V. see **Suchý** M. **L10,** 5
Herzog E. G. see **Turner** R. B. **L2,** 7
Hirata Y., **Shimomura** O. and **Eguchi** S. The structure of cypridina luciferin. **L5,** 4
Hirata Y. see **Nakata** H. **L16,** 9
Hoare J. L. see **Briggs** L. H. **L4,** 14; **7,** 262
Hodge J. E. see **Weygand** F. **6,** 123
Hodges R. see **Grant** P. K. **L10,** 21
Hofer P., **Linde** H. und **Meyer** K. Konstitution des Arenobufagins. **L7,** 8
Hoffman W. D., **McEwen** W. E. and **Kleinberg** J. Anodic reductions—V. The reduction of diketones by unipositive magnesium anodically generated. **5,** 293
Hofmann D. see **Wallenfels** K. **L15,** 10
Holliman F. G. see **Gray** A. **L7,** 24
Horák M., **Jonáš** J. and **Plíva** J. Nature of the solvent effect in carbonyl compounds. **L3,** 18
Horning M. G. see **Cornforth** J. W. **5,** 311
Huisgen R. und **Ott** H. Die Konfiguration der Carbonestergruppe und die Sondereigenschaften der Lactone. **6,** 253
Hunter W. H. see **Lipkin** D. **L21,** 18

Ikan R. see **Bladon** P. **L9,** 18
Ironside C. T. see **Clar** E. **6,** 358
Ishikawa M. see **Ochiai** E. **7,** 228
Itoh N. see **Sugasawa** S. **6,** 16

Jacques J. see **Dvolaitzky** M. **L21,** 10
Jacques J. see **Marquet** A. **L9,** 24
Jaeger R. H. and **Robinson** R. The conversion of D-isoiridomyrmecin into D-iridomyrmecin. **L15,** 14
Jaeger R. H. see **Clark** K. J. **6,** 217
Jain T. C. and **Bhattacharyya** S. C. Structure, stereochemistry and absolute configuration of agarol, a new sesquiterpene alcohol from agarwood oil. **L9,** 13
Janzsó G. see **Fodor** G. **L7,** 19
Jensen F. R. and **Coleman** W. E. Formation of 1,4-dibromo-2,3-benzobiphenylene, 2,3-benzobiphenylene, and 1, 2, 5, 6-tetrabromo-3:4:7,8-dibenzotricyclo[4, 2, 0, $0^{2,5}$]octadiene. **L20,** 7
Jilek J. O. see **Novák** L. **L5,** 10
Jilek J. O. see **Protiva** M. **L11,** 12
John D. I. see **Hassall** C. H. **L3,** 7
Johnson W. S. see **Neeman** M. **6,** 36
Jonáš J. see **Horák** M. **L3,** 18
Joshi B. S. see **Ayyangar** N. R. **6,** 331
Joshi B. S. see **Dave** K. G. **L6** 22
Jutz C. Methinfarbstoffe metallorganischer Verbindungen Diferrocenyl-methin-Perchlorat. **L21,** 1

Kačač B. see **Novák** L. **L5,** 10
Katsumata M. see **Takeda** R. **L18,** 17
Katz T. J. see **Woodward** R. B. **L5,** 19; **5,** 70
Kende A. S. The conformation of 2-fluorocyclohexanone. **L14,** 13
Kent P. W. and **Brunet** P. C. J. The occurrence of protocatechuic acid and its 4-O-β-D-glucoside in *Blatta* and *Periplaneta*. **7,** 252
Khaleque A. see **Valenta** Z. **L12,** 1
Kleinberg J. see **Buell** G. R. **L5,** 16
Kleinberg J. see **Hoffman** W. D. **5,** 293
Klibansky Y. see **Sondheimer** F. **5,** 15
Koch P. see **Allen** F. L. **6,** 315
Koczor I. see **Fodor** G. **L7,** 19
Kooyman E. C. see van **Helden** R. **L12,** 18, 24
Korndörfer O. see **Theilacker** W. **L18,** 5

Korte F., **Falbe** J. und **Zschocke** A. α-Hydroxyalkyliden-Lacton-Umlagerung—IX. Synthese des D,L-Iridomyrmecins und verwandter bicyclischer Lactone. **6,** 201
Kosak A. I. see **Rajagopalan** P. **L21,** 5
Kosower E. M. and **Remy** D. C. The effect of a positive charge on a $\pi \rightarrow \pi^*$-transition. **5,** 281
Kreevoy M. M. Experimental and theoretical evaluations of the Baker–Nathan effect. **5,** 233
Kresge A. J. and **Satchell** D. P. N. Secondary isotope effects and aromatic hydrogen exchange. **L13,** 20
Kubba V. P. see **Dewar** M. J. S. **7,** 213
Kullick W. see **Lüttringhaus** A. **L10,** 13
Kuthan J. see **Salik** V. **7,** 223

Lamb F. and **Suschitzky** H. Studies in the xanthone series—III. Preparation and reactions of 1-acetyl-2-hydroxyxanthone. **5,** 1
Lampe F. W. and **Field** F. H. Reactions of ions with molecules in the gas phase. **7,** 189
Lane E. S. 2-Benziminazolylmethyl isothiouronium salts. **5,** 95
Leandri G. see **Foffani** A. **L11,** 21
Lee C. C., **Tkachuk** R. and **Slater** G. P. Rearrangement studies with ^{14}C—VIII. External and internal returns in the solvolysis of 2-phenyl-1-^{14}C-ethyl *p*-toluene-sulfonate. **7,** 206
Lee J. B. and **el Sawi** M. M. A novel transglycosylation reaction. **6,** 91
Lewis E. S. Isotope effects and hyperconjugation, **5,** 135
Lewis I. C. see **Taft** R. W. Jr. **5,** 210
Lien A. P. see **McCaulay** D. A. **5,** 186
Linde H. see **Hofer** P. **L7,** 8
Lipkin D., **Phillips** B. and **Hunter** W. H. Diastereoisomeric benzyl-idenenucleosides. **L21,** 18
Lipscomb W. N. Tetrahedral "cyclobutadiene?" **L18,** 20
Lipscomb W. N. see **Yanai** H. S. **6,** 103
Loewenthal H. J. E. Selective reactions and modifications of functional groups in steroid. chemistry. **6,** 269
Lora-Tamayo M. see **Farina** F. **L19,** 9
Lorenc Lj. see **Stefanović** Gj. **6,** 97, 304
Love P., **Taft** R. W., Jr. and **Wartik** T. Secondary hydrogen isotope effect in a gas-phase equilibrium. **5,** 116
Lovell F. M., **Pepinsky** R. and **Wilson** A. J. C. X-Ray analysis of the structure of gelsemine hydrohalides. **L4,** 1
Lüttringhaus A. und **Berrer** D. Zur Struktur der Lösungen—III. Racemat-Spaltung durch ein optisch aktives Lösungsmittel. **L10,** 10
Lüttringhaus A. und **Kullick** W. Gemischte Carbonylkomplexe des Cr^0 und des Mo^0 mit organo-stickstoffverbindungen. **L10,** 13

Maier L. Vinylierungsreaktionen mit Tetravinylblei. **L6,** 1
Malhotra S. S. see **Cava** M.P. **L15,** 1
Mamlok L. see **Dvolaitzky** M. **L21,** 10
Mamuzic R. I. see **Stefanović** Gj. **6,** 304
Mantika E. see **Quilico** A. **5,** 10
Marcus E. see **Moore** W. R. **5,** 179
Marquet A. et **Jacques** J. Halogenations sélectives au moyen des perhalogénures de phényltriméthylammonium. **L9,** 24
Martin H. see **Ziegler** K. **L20,** 12
Matsuura T. see **Büchi** G. **L6,** 14
de Mayo P. see **Barton** D. H. R. **6,** 48
McCaulay D. A. and **Lien** A. P. Hyperconjugation in aromatic cation complexes. **5,** 186
McEwan E. see **Buell** G. R. **L5,** 16
McEwen W. E. see **Hoffman** W. D. **5,** 293
McMurry T. B. H. see **Cocker** W. **7,** 299
McNicholl H. see **Dewar** M. J. S. **L5,** 22
Mechelynck-David C. et **Fierens** P. J. C. Etudes cinétiques des réactions de solvolyse de chlorures d'α-phenylethyle substitués. Equations de Hammett, Winstein–Grünwald et Tommila. **6,** 232
Metlesics W., **Wessely** F. und **Budzikiewicz** H. Dienon-Phenol-Umlagerung von Chinolen—II. Beitrag zur Klärung des Reaktionmechanismus. **6,** 345
Meyer K. see **Hofer** P. **L7,** 8
Meyers C. Y. see **Weaver** M. P. **L18,** 7
Mihailović M. Lj. see **Stefanović** Lj. **6,** 97, 304
Mills J. F. D. and **Nyburg** S. C. The molecular structure of aspidospermine. **L11,** 1
Minton R. G. see **Schubert** W. M. **5,** 194
Mirosevic-Sorgo P. and **Saunders** B. C. Toxic fluorine compounds containing the C–F link—X. Rupture of the C–F link by alkali and other reagents. **5,** 38
Molinet C. see **Ballester** M. **6,** 109
Moore C. G. and **Porter** M. The reaction of sulphur and sulphur compounds with olefinic substances—XIII. The mechanism of interaction of sulphur with (+)-limonene. **6,** 10
Moore W. R., **Marcus** E., **Fenton** S. E. and **Arnold** R. T. Possible effects on solvolysis rates of benzhydryl chlorides and spectra of related components. **5,** 179
Morin R. B. see **Turner** R. B. **L2,** 7
Morrison G. A. see **Barton** D. H. R. **6,** 48
Mosby W. L. and **Berry** W. L. The preparation of nitroanthraquinones by the peracetic acid oxidation of aminoanthraquinones. **5,** 93
Moura Campos M. de and **Petragnani** N. Addition of tellurium compounds to double bonds. **L6,** 11
Mukawa F. The anomalous chlorination of estradiol 17β-acetate with isocyanuric acid. **L14,** 17
Mukherji S. M. see **Gandhi** R. P. **7,** 236
Mulliken R. S. Bond lengths and bond energies in conjugation and hyperconjugation. **6,** 68
Mulliken R. S. Hyperconjugation: A survey with emphasis on isovalent hyperconjugation. **5,** 253
Murphy R. B. see **Schubert** W. M. **5,** 194
Murray R. W. see **Saunders** M. **6,** 88

VOL. 5 1959

Nair C. P. N. and **Pillay** P. P. Lochnericine—A new alkaloid from *Lochnera rosea*. **6**, 89
Nair P. M. see **Streitwieser** A. Jr. **5**, 149
Nakanishi I. see **Takeda** R. **L18**, 17
Nakano T., **Djerassi** C., **Corral** R. A. and **Orazi** O. O. The structure of julocrotine. **L14**, 8
Nakata H., **Takahashi** S., **Yamada** K. and **Hirata** Y. The methylation of pyronones. The structural correlation of aureothin and isoaureothin. **L16**, 9
Narni G. see **Nicolaus** R. A. **L21**, 14
Nasipuri D. see **Birch** A. J. **6**, 148
Nawa H. see **Takeda** R. **L18**, 17
Neelakantan S., **Seshadri** T. R. and **Subramanian** S. S. Constitution of vicanicin from the lichen *Teloschistes flavicans*. **L9**, 1
Neeman M., **Caserio** M. C., **Roberts** J. D. and **Johnson** W. S. Methylation of alcohols with diazomethane. **6**, 36
Nesmeyanov A. N., **Sazonova** V. A. and **Drozd** V. N. Hydroxyferrocene. **L17**, 13
Nicolaus R. A., **Piatelli** M. and **Narni** G. The structure of sepiomelanin. **L21**, 14
Nolier C. R. see **Schlegel** W. **L13**, 16
Notation A. D. see **Abramovitch** R. A. **L8**, 1

Novák L., **Jilek** J. O., **Kacáč** B. and **Protiva** M. Resolution during total synthesis of reserpine. **L5**, 10
Novák L. see **Protiva** M. **L11**, 12
Novotny L. see **Sykora** V. **L14**, 24
Nussim M. see **Halevi** E. A. **5**, 352
Nyburg S. C. see **Mills** J. F. D. **L11**, 1

Ochiai E. und **Ishikawa** M. Synthese von Derivaten der Cinchona-Alkaloide—XXXII. Synthese von Dihydrocorynanthean und 3-Epidihydrocorynanthean aus Cinchonin. **7**, 228
Ollis W. D., **Sutherland** I. O. and **Gordon** J. J. Rutilantinine. **L16**, 17
Ondetti M. A. and **Deulofeu** V. Alkaloids from *Aspidosperma australe* Müll. Argov. Relationship of olivacine to *u*-alkaloid C. **L7**, 1
Orazi O. O. see **Nakano** T. **L14**, 8
Ott H. see **Huisgen** R. **6**, 253

Pai B. R. see **Govindachari** T. R. **L15**, 5
Pascual O. S. see **Traynham** J. G. **7**, 165
Patwardhan A. V. see **Dave** K. G. **L6**, 22
Pavićić-Woss M. see **Stefanović** Gj. **6**, 97
Pecile C. see **Foffani** A. **L11**, 16
Pelter A. see **Cornforth** J. W. **5**, 311
Pentamali L. Researches on the aromatic azocompounds. The oxidation of the 4-dimethylamino-azobenzene. **5**, 27
Pepinsky R. see **Lovell** F. M. **L4**, 1
Petragnani see de **Moura Campos** M.
Petrů F. see **Galek** V. **7**, 223
Philbin E. M. see **Bognar** R. **L19**, 4
Philbin E. M. see **Fletcher** H. **L6**, 9
Phillips B. see **Lipkin** D. **L21**, 18
Piatelli M. see **Nicolaus** R. A. **L21**, 14
Piccolini R. and **Winstein** S. Doublet character of O–H absorption in saturated alcohols. **L13**, 4
Pillay P. P. see **Nair** C. P. N. **6**, 89
Piozzi F. see **Cardani** C. **L16**, 1
Piozzi F. see **Quilico** A. **5**, 10
Plíva J. see **Horák** M. **L3**, 18
Popjak G. The biosynthesis of derivatives of allylic alcohols from [2-^{14}C] mevalonate in liver enzyme preparations and their relation to synthesis of squalene. **L19**, 19
Popják G. see **Cornforth** J. W. **L19**, 29; **5**, 311
Popper T. L. see **Büchi** G. **L6**, 14
Porter M. see **Moore** C. G. **6**, 10
Powell J. W. and **Whiting** M. C. The decomposition of sulphonylhydrazone salts—I. Mechanism and stereochemistry. **7**, 305
Prinzbach H. see **Doering** W. von E. **6**, 24
Protiva M., **Jilek** J. O., **Ernest** I. and **Novak** L. Two notes on the last stages of a *dl* reserpine synthesis. **L11**, 12
Protiva M. see **Novák** L. **L5**, 10
Purushothaman K. K. see **Govindachari** T. R. **L15**, 5

Quilico A., **Piozzi** F. and **Mantika** E. The structure of periplanetin. **5**, 10
Quilico A. see **Cardani** C. **L16**, 1

Raistrick H. see **Barton** D. H. R. **6**, 48
Rajadurai S. see **Govindachari** T. R. **L15**, 5
Rajagopalan P. and **Kosak** A. I. The synthesis of pachyrrhizin. **L21**, 5
Rakosi M. see **Bognar** R. **L19**, 4
Ranjan Ghatak U. Stereochemistry of desoxypodocarpic acid isomers. **L1**, 19
Rasuwajew G. A., **Bobinowa** L. M. und **Etlis** V. S. Gewinnung und Eigenschaften einiger titanorganischer Verbindungen. **6**, 154
Redford D. G. see **Birch** S. F. **7**, 311
Remy D. C. see **Kosower** E. M. **5**, 281
Richards R. W. see **Birch** A. J. **7**, 241
Riebel A. see **Turner** R. B. **L2**, 7
Roberts J. D. see **Neeman** M. **6**, 36
Roberts R. M. and **Han** Y. W. Interconversion of some pentylbenzenes by aluminum chloride **L6**, 5
Robinson R. The biogenesis of aspidospermine. **L18**, 14
Robinson R. The polymerization of epoxides by metal halide catalysts. **5**, 96
Robinson R. see **Bentley** K. W. **L2**, 11
Robinson R. see **Clark** K. J. **6**, 217
Robinson R. see **Jaeger** R. H. **L15**, 14
Ročck J. Mechanism of the chromic acid oxidation of aldehydes. **L5**, 1
Rodriguez L., **Gabant** J. et **Hargitay** B. Note sur la réaction entre trichlorure, de titane et triméthylaluminium. **L17**, 7
Romeike A. see **Fodor** G. **L7**, 19
Romers C. see **Altona** C. **L10**, 16
Rosa J. see **Ballester** M. **6**, 109

Rosegay A. see **Heilman** H. M. **L13,** 1
Russell G. A. Electron transference in the attack of atoms or radicals upon carbon-hydrogen bonds. **5,** 101

Sarma K. G. see **Aghoramurthy** K. **L8,** 20
Satchell D. P. N. See **Kresge** A. J. **L13,** 20
Saunders B. C. see **Mirosevic-Sorgo** P. **5,** 38
Saunders M. and **Burchman** G. The reaction of triphenylphosphine-methylenes with lithium aluminum hydride. **L1,** 8
Saunders M. and **Murray** R. W. The reaction of dichlorocarbene with secondary amines. **6,** 88
el Sawi M. M. see **Lee** J. B. **6,** 91
Sazonova V. A. see **Nesmeyanov** A. N. **L17,** 13
Schaeffer W. D. see **Streitwieser** A. **6,** 338
Schlegel W. and **Noller** C. R. The relation of fabacein to cucurbitacin B. **L13,** 16
Schleyer P. von R., **Wintner** C., **Trifan** D. S. and **Bacskai** R. Hydrogen bonding in β-aryl ethanols. **L14,** 1
Schmeising H. N. see **Dewar** M. J. S. **5,** 166
Schubert W. M., **Craven** J. M., **Minton** R. G. and **Murphy** R. B. Role of solvent in alkyl substituent effects. **5,** 194
Searing Fessenden J. see **Cason** J. **7,** 289
Seelye R. N. see **Briggs** L. H. **7,** 270
Selin T. G. and **West** R. The reductive coupling of triphenylchlorosilane: evidence for the triphenysilyl Grignard reagent. **5,** 97
Seshadri T. R. Recent developments in the chemistry of flavonoids. **6,** 169
Seshadri T. R. see **Aghoramurthy** K. **L8,** 20
Seshadri T. R. See **Ahluwalia** V. K. **5,** 90
Seshadri T. R. see **Ganguly** A. K. **6,** 21
Seshadri T. R. See **Goel** R. N. **5,** 91
Seshadri T. R. see **Grover** P. K. **6,** 312
Seshadri T. R. see **Neelakantan** S. **L9,** 1
Shimomura O. see **Hirata** Y. **L5,** 4
Shiner V. J. Jr. Deuterium isotope effects and hyperconjugation. **5,** 243
Shoap C. J. see **Brown** H. C. **L3,** 9

Sicher J. and **Tichý** M. The relative configuration at $C_{(22)}$ and $C_{(25)}$ in veratramine and jervine. **L12,** 6
Simmons D. L. see **Wiesner** K. **L2,** 15; **L18,** 1
Simon H. see **Weygand** F. **6,** 123
Slater G. P. see **Lee** C. C. **7,** 206
Smith H. see **Birch** A. J. **7,** 241
Smith S. see **Winstein** S. **L16,** 24
Sondheimer F. and **Klibansky** Y. Synthesis of 3β-hydroxy analogues of steroidal hormones, a biologically active class of compounds. **5,** 15
Sondheimer F. and **Wolovsky** R. The synthesis of cyclooctadecanonaene, a new aromatic system. **L3,** 3
Šorm F. see **Dolejš** L. **L10,** 1; **L17,** 1
Šorm F. see **Suchý** M. **L10,** 5
Šorm F. see **Sykora** V. **L14,** 24
Speake R. N. see **Birch** A. J. **L3,** 15
Spring F. S. see **Bladon** P. **L9,** 18
Stacey M. see **Dobinson** B. **L1,** 1
Start P. A. see **Cocker** W. **7,** 299
Stedefeder J. see **Siegler** K. **L20,** 12
Stefanović Gj., **Lorenc** Lj., **Mamuzić** R. I. and **Mihailović** M. Lj. Anhydrobiisatic acid. 6,12-Oxa-5,6,11,12-tetrahydrophenhomazine-6, 12-dicarboxylic acid. **6,** 304
Stefanović Gj., **Pavičić-Woss** M., **Lorenc** Lj. and **Mihailović** M. Lj. Condensation of isatin with diketones. **6,** 97
Stevens T. E. Reaction of isothiocyanates and iodine pentafluoride. **L17,** 16
Stoffyn P. J. see **Fernez** A. **6,** 139
Story P. R. see **DePuy** C. H. **L6,** 20
Streitwieser A. Jr. and **Nair** P. M. A simple molecular orbital treatment of hyperconjugation. **5,** 149
Streitwieser A., Jr. **Wolfe** J. R. Jr. and **Schaeffer** W. D. Stereochemistry of the primary carbon —X. Stereochemical configurations of some optically active deuterium compounds. **6,** 338
Suarez C. see **Farina** F. **L19,** 9
Subramanian S. S. see **Neelakantan** S. **L9,** 1
Suchý M., **Benešová** V., **Herout** V. and **Šorm** F. Contribution on the structure of cnicin, the bitter principle from *Cnicus Benedictus L.* **L10,** 5
Sugasawa S. and **Itoh** N. Bischler–Napieralski reaction—II. Synthesis of some ketonic *iso*quinolines. **6,** 16
Sugasawa S. and **Ushioda** S. Extension of the Bischler–Napieralski reaction—II. Synthesis of pyrroline derivatives. **5,** 48
Sugasawa S. see **Fujisawa** T. **7,** 185
Suschitzky H. see **Allen** F. L. **6,** 315
Suschitzky H. see **Lamb** F. **5,** 1
Sutherland I. O. see **Ollis** W. D. **L16,** 17
Sutton L. E. Bond lengths and hyperconjugation. **5,** 118
Sykora V., **Novotny** L. and **Šorm** F. Constitution of carotol and daucol. **L14,** 24

Taft R. W. Jr. and **Lewis** I. C. Evaluation of resonance effects on reactivity by application of the linear inductive energy relationship—IV. Hyperconjugation effects of *para*-alkyl groups. **5,** 210
Taft R. W. Jr. see **Love** P. **5,** 116
Tait A. D. see **Bladon** P. **L9,** 18
Takahashi S. see **Nakata** H. **L16,** 9
Takeda R., **Nakanishi** I., **Terumichi** J., **Uchida** M., **Katsumata** M., **Uchibayashi** M. and **Nawa** H. Transformation of Reichstein's Substance S to prednisolone by *Pseudomonas*. **L18,** 17
Taub D. see **Wendler** N. L. **7,** 173
Taylor E. C. and **Cheng** C. C. Studies in purine chemistry—VI. A convenient one-step synthesis of hypoxanthine. **L12,** 9
Taylor W. I. See **Bartlett** M. F. **L20,** 20
Tedder J. M. and **Theaker** G. The direct introduction of the diazonium group into aromatic nuclei—VI. Reaction mechanism. **5,** 288

VOL. 5 1959

Terumichi J. see **Takeda** R. **L18,** 17
Tetaz J. R. see **Cavill** G. W. K. **5,** 275
Theaker G. see **Tedder** J. M. **5,** 288
Theilacker W. and **Korndörfer** O. Die Synthese von 2,2′-Hydrazo-diphenylmethan. **L18,** 5
Thomson J. B. Molecular asymmetry in the ferrocene series. **L6,** 26
Thomson P. J. see **Birch** A. J. **L3,** 1
Thornton P. D. see **Fletcher** H. **L6,** 9
Tichý M. see **Sicher** J. **L12,** 6
Tišler M. Rearrangement of N-substituted 1-thiocarbamylazetidines into derivatives of 2-imino-3,4,5,6-tetrahydro-1,3-thiazine. **L12,** 12
Tkachuk R. see **Lee** C. C. **7,** 206
Traylor T. G. and **Baker** A. W. *Cis* oxymercuration of norboruene. **L19,** 14
Traynham J. G. and **Pascual** O. S. Effects of ring size on the reactions of cyclic olefins. Halohydrins from methyleneycloalkanes. **7,** 165
Trifan D. S. see **Schleyer** P. von R. **L14,** 1
Trojánek J. see **Cekan** Z. **L18,** 11
Turner R. B. The thermochemical evidence for hyperconjugation. **5,** 141
Turner R. B., **Herzog** E. G., **Morin** R. B. and **Riebel** A. The structure of cassaic acid. **L2,** 7

Uchibayashi M. see **Takeda** R. **L18,** 17
Uchida M. see **Takeda** R. **L18,** 17
Ulbricht T. L. V. On the structure of Dioscorine. **L1,** 5
Ulbricht T. L. V. Synthesis with pyrimidine-lithium compounds. **6,** 225
Urbanski T. A study of the hydrogen bonds between the nitro-group and the hydroxyl or amino-groups in substituted nitroparaffins. **6,** 1
Ushioda S. see **Sugasawa** S. **5,** 48

Valenta Z. and **Khaleque** A. The structure of castoramine. **L12,** 1
Venkataraman K. see **Ayyangar** N. R. **6,** 331
Venkataraman K. see **Dave** K. G. **L6,** 22
Venkataraman K. see **Desai** N. B. **5,** 305
Vig O. P. see **Gandhi** R. P. **7,** 236

Wallenberger F. T. The specificity of the ozonization of polycyclic aromatics. **L9,** 5
Wallenfels K. und **Draber** W. Darstellung von Tetraamino-benzochinon-1,4 aus Fluoranil und Chloranil. **L13,** 24
Wallenfels K. und **Hofmann** D. Über den Mechanismus der Wasserstoffübertragung mit Pyridinnucleotiden—XVIII. Nichtenzymatische Reduktion von Brenztraubensäure mit einem DPNH-Modell. **L15,** 10
Warth A. D. see **Briggs** L. H. **7,** 270
Wartik T. see **Love** P. **5,** 116
Watts T. H. E. see **Beckett** A. H. **6,** 319
Weaver M. P. and **Meyers** C. Y. Cyclic ethers from self-condensation of 4,6-dimethylol-*m*-xylene. **L18,** 7
Weinges K. see **Freudenberg** K. **L17,** 19
Wendler N. L., **Taub** D., and **Graber** R. P. Group transfer and ring contraction phenomena in the D-homosteroid series. **7,** 173
Werner R. L. see **Cavill** G. W. K. **5,** 275
Wessely F. see **Metlesics** W. **6,** 345
West R. see **Selin** T. G. **5,** 97
Weston R. E. Jr. The magnitude of electronic isotope effects **6,** 31
Weygand F., **Simon** H., **Bitterlich** W., **Hodge** J. E. and **Fisher** B. E. Structure of piperidino-hexose-reductone. **6,** 123
Whalley W. B. see **Birch** A. J. **7,** 241
Wheeler T. S. see **Bognar** R. **L19,** 4
Wheeler T. S. see **Fletcher** H. **L6,** 9
Whiting M. C. see **Powell** J. W. **7,** 305
Wiesner K., **Bickelhaupt** F., **Babin** D. R., and **Götz** M. The structure of delphinine. **L3,** 11
Wiesner K., **Götz** M., **Simmons** D. L., **Fowler** L. R., **Bachelor** F. W., **Brown** R. F. C. and **Büchi** G. The structure of aconitine. **L2,** 15
Wiesner K., **Simmons** D. L. and **Fowler** L. R. Direct correlation of aconitine and delphinine. **L18,** 1
Williams P. P. see **Cleverley** B. **7,** 277
Willis J. L. see **Birch** A. J. **L3,** 1
Wilmhurst J. K. see **Briggs** L. H. **L8,** 8, 13
Wilson A. J. C. see **Lovell** F. M. **L4,** 1
Winstein B. see **Cava** M. P. **L15,** 1
Winstein S. see **Piccolini** R. **L13,** 4
Winstein S., **Smith** S. and **Darwish** D. Alleged S_N2 Finkelstein substitutions of t-butyl bromide. **L16,** 24
Winter C. see **Schleyer** P. von R. **L14,** 1
Wolfe J. R. see **Streitwieser** A. **6,** 338
Wolovsky R. see **Sondheimer** F. **L3,** 3
Woodward R. B. and **Katz** T. J. The mechanism of the Diels-Alder reaction. **5,** 70; **L5,** 19

Yamada K. see **Nakata** H. **L16,** 9
Yanai H. S. and **Lipscomb** W. N. The structure of γ-conhydrine. **6,** 103
Yates P. and **Chandross** E. A. The compho-ketene dimers. **L20,** 1
Youngdale G. A. see **Allinger** N. L. **L9,** 10

Zabolotnaja E. S. see **Cekan** Z. **L18,** 11
Zander M. see **Clar** E. **6,** 358
Zanon I. see **Foffani** A. **L11,** 21
Ziegler K., **Martin** H. and **Stedefeder** J. Die Reaktion zwischen Aluminiumtrimethyl und Titantetrachlorid. **L20,** 12
Zschocke A. see **Korte** F. **6,** 201

VOL.
5
1959